

中国·齐力控股集团
CHINA·QILI HOLDING GROUP



**PROFESSIONAL MANUFACTURER OF
SANITARY FLUID VALVE & PIPE FITTING SOLUTIONS**

高洁净流体设备阀门及管道连接部件
解决方案一站式专业制造商


卫生级管件系列
SANITARY PIPE FITTINGS SERIES



高洁净流体设备阀门及管道连接部件
解决方案专业制造商
PROFESSIONAL MANUFACTURER OF
SANITARY FLUID VALVE & PIPE FITTING SOLUTIONS

管道连接图 Pipe Connection Diagram

F



F
Sanitary pipe fittings series
卫生级管件系列





卫生级钢管
Sanitary tube



高洁净流体设备阀门及管道连接部件
解决方案专业制造商
PROFESSIONAL MANUFACTURER OF
SANITARY FLUID VALVE & PIPE FITTING SOLUTIONS


卫生级钢管
Sanitary tube



DIN 11850第一/二系列外径管道 DIN 11850 NO.1/2 Series pipe

型号type: DH01

DIN No.QL-001




SIZE	OD		ID	T
DN10	12	x	9	1.5
DN10	13	x	10	1.5
DN15	18	x	15	1.5
DN15	19	x	16	1.5
DN20	22	x	19	1.5
DN20	23	x	20	1.5
DN25	28	x	25	1.5
DN25	29	x	26	1.5
DN32	34	x	31	1.5
DN 32	35	x	32	1.5
DN 40	40	x	37	1.5
DN 40	41	x	38	1.5
DN 50	52	x	49	1.5
DN 50	53	x	50	1.5
DN 65	70	x	66	2.0
DN 80	85	x	81	2.0
DN100	104	x	100	2.0
DN125	129	x	125	2.0
DN150	154	x	150	2.0
DN200	204	x	200	2.0
DN250	254	x	250	2.0
DN300	306	x	300	3.0

ISO 2037卫生管道 ISO 2037 Sanitary Pipe

型号type: SH01

DIN No.QL-003




SIZE	OD		ID	T
3/4"	19	x	16.6	1.2
1"	25	x	22.6	1.2
1.25"	32	x	29.6	1.2
1.5"	38	x	35.6	1.2
2"	51	x	48.6	1.2
2.5"	63.5	x	63.3	1.6
3"	76.1	x	72.9	1.6
4"	101.6	x	97.6	2.0

BS 4825卫生管道 BS 4825 Sanitary Pipe

型号type: BH01

DIN No.QL-004




SIZE	OD		ID	T
3/4"	19.05	x	15.85	1.6
1"	25.4	x	22.2	1.6
1.5"	38.1	x	34.9	1.6
2"	50.8	x	47.6	1.6
2.5"	63.5	x	60.3	1.6
3"	76.2	x	73	1.6
4"	101.6	x	97.6	2.0

ISO卫生管道 ISO Sanitary Pipe

型号type: IH01

DIN No.QL-002




SIZE	OD		ID	T
3/4"	19.05	x	16.05	1.5
1"	25.4	x	22.4	1.5
1.25"	31.8	x	28.8	1.5
1.5"	38.1	x	35.1	1.5
2"	50.8	x	47.8	1.5
2.5"	63.5	x	59.5	2.0
3"	76.1	x	72.1	2.0
3.5"	88.9	x	84.9	2.0
4"	101.6	x	97.6	2.0
4.5"	114.3	x	110.3	2.0
5.0"	127.0	x	123	2.0
6.0"	152.4	x	146.4	3.0

3A/BPE ASTM269/270卫生管道 3A/BPE ASTM269/270 Sanitary Pipe

型号type: 3AH01


DIN No.QL-005



SIZE	OD		ID	T
1/2"	12.7	x	9.4	1.65
3/4"	19.05	x	15.75	1.65
1"	25.4	x	22.1	1.65
1 1/2"	38.1	x	34.8	1.65
2"	50.8	x	47.5	1.65
2 1/2"	63.5	x	60.2	1.65
3"	76.2	x	72.9	1.65
4"	101.6	x	97.38	2.11
6"	152.4	x	146.86	2.77
8"	203.2	x	197.66	2.77
10"	254.0	x	248.46	2.77
12"	304.8	x	298.7	3.05

焊接式弯头45° Welded Elbow 45°


DIN No.QL-006



SIZE	A	R	L1	T
DN10	12/13	26	10.7	1.5
DN15	18/19	35	14.5	1.5
DN20	22/23	40	16.5	1.5
DN25	28/29	50	20.7	1.5
DN32	34/35	55	22.8	1.5
DN40	40/41	60	24.8	1.5
DN50	52/53	70	29	1.5
DN65	70	80	33.2	2
DN80	85	90	37.3	2
DN100	104	100	41.5	2
DN125	129	187.5	77.5	2
DN150	154	225	93.2	2
DN200	204	300	124.3	2
DN250	254	375	155.3	2
DN300	306	450	186.4	3

长型焊接式弯头90° Long Welded Elbow 90°


DIN No.QL-009



SIZE	A	R	L1	T
DN10	13/14	26	38/51	1.5
DN15	18/19	35	47/60	1.5
DN20	22/23	40	52/65	1.5
DN25	28/29	50	70/90	1.5
DN32	34/35	55	78/95	1.5
DN40	40/41	60	85/100	1.5
DN50	52/53	70	97/110	1.5
DN65	70	80	110/120	2
DN80	85	90	118/145	2
DN100	104	100	140/155	2
DN125	129	187	227	2
DN150	154	225	265	2

长型焊接式弯头45° Long Welded Elbow 45°


DIN No.QL-007



SIZE	A	R	L1	T
DN10	12/13	26	35.8	1.5
DN15	18/19	35	39.5	1.5
DN20	22/23	40	41.6	1.5
DN25	28/29	50	60.7	1.5
DN32	34/35	55	62.8	1.5
DN40	40/41	60	64.9	1.5
DN50	52/53	70	69	1.5
DN65	70	80	73	2
DN80	85	90	92.3	2
DN100	104	100	96.4	2
DN125	129	187.5	135.2	2
DN150	154	225	156.7	2

焊接式弯头180° Welded Elbow 180°

DIN No.QL-010



SIZE	A	R	L1	T
DN10	12/13	26	52	1.5
DN15	18/19	35	70	1.5
DN20	22/23	40	80	1.5
DN25	28/29	50	100	1.5
DN32	34/35	55	110	1.5
DN40	40/41	60	120	1.5
DN50	52/53	70	140	1.5
DN65	70	80	160	2
DN80	85	90	180	2
DN100	104	100	200	2
DN125	129	187.5	375	2
DN150	154	225	450	2
DN200	204	300	600	2
DN250	254	375	750	2
DN300	306	450	900	3

焊接式弯头90° Welded Elbow 90°


DIN No.QL-008



SIZE	A	R	L1	T
DN10	12/13	26	26	1.5
DN15	18/19	35	35	1.5
DN20	22/23	40	40	1.5
DN25	28/29	50	50	1.5
DN32	34/35	55	55	1.5
DN40	40/41	60	60	1.5
DN50	52/53	70	70	1.5
DN65	70	80	80	2
DN80	85	90	90	2
DN100	104	100	100	2
DN125	129	187.5	187.5	2
DN150	154	225	225	2
DN200	204	300	300	2
DN250	254	375	254	2
DN300	306	450	306	3

短型焊接式三通 Short Welded Tee


DIN No.QL-011



SIZE	A	L1	L2	T
DN10	12/13	26	7.5	1.5
DN15	18/19	35	10.5	1.5
DN20	22/23	40	12.5	1.5
DN25	28/29	50	16	1.5
DN32	34/35	55	19.5	1.5
DN40	40/41	60	22.5	1.5
DN50	52/53	70	30	1.5
DN65	70	80	39.5	2
DN80	85	90	47.5	2
DN100	104	100	58	2
DN100	101.6	150	56	2
DN125	129	187.5	70.5	2
DN150	154	225	83	2
DN200	204	300	115	2
DN250	254	216	140	2
DN300	306	254	165	3

焊接式三通 Welded Tee


DIN No.QL-012



SIZE	A	L1	T
DN10	12/13	26	1.5
DN15	18/19	35	1.5
DN20	22/23	40	1.5
DN25	28/29	50	1.5
DN32	34/35	55	1.5
DN40	40/41	60	1.5
DN50	52/53	70	1.5
DN65	70	80	2
DN80	85	90	2
DN100	104	100	2
DN125	129	187.5	2
DN150	154	225	2
DN200	204	300	2
DN250	254	216	2
DN300	306	254	3

短型焊接变径三通 Short Welding Reducing Tee


DIN No.QL-014



SIZE	AxB	L1	L2	T
DN25-20	28x22	50	17	1.5
DN32-25	34x28	55	19.5	1.5
DN40-25	40x28	60	22.5	1.5
DN40-32	40x34	60	22.5	1.5
DN50-25	52x28	70	29.5	2
DN50-32	52x34	70	29.5	2
DN50-40	52x40	70	29.5	2
DN65-25	70x28	80	39	2
DN65-32	70x34	80	39	2
DN65-40	70x40	80	39	2
DN65-50	70x52	80	46.5	2
DN80-25	85x28	90	46.5	2
DN80-32	85x34	90	46.5	2
DN80-40	85x40	90	46.5	2
DN80-50	85x52	90	46.5	2
DN80-65	85x70	90	46.5	2
DN100-25	104x28	100	56	2
DN100-32	104x34	100	56	2
DN100-40	104x40	100	56	2
DN100-50	104x52	100	56	2
DN100-65	104x70	100	56	2
DN100-80	104x85	100	56	2
DN125-25	129x28	187.5	68.5	2
DN125-32	129x104	187.5	68.5	2
DN125-40	129x104	187.5	68.5	2
DN125-50	129x104	187.5	68.5	2
DN125-65	129x104	187.5	68.5	2
DN125-80	129x104	187.5	68.5	2
DN125-100	129x104	187.5	68.5	2
DN150-32	154x34	225	81	2
DN150-40	154x40	225	81	2
DN150-50	154x52	225	81	2
DN150-65	154x70	225	81	2
DN150-80	154x85	225	81	2
DN150-100	154x104	225	81	2
DN150-125	154x129	225	81	2

长型焊接变径三通 Long Welding Reducing Tee


DIN No.QL-013



SIZE	AxB	L1	T
DN25-20	28x22	50	1.5
DN32-25	34x28	55	1.5
DN40-25	40x28	60	1.5
DN40-32	40x34	60	1.5
DN50-25	52x28	70	2
DN50-32	52x34	70	2
DN50-40	52x40	70	2
DN65-25	70x28	80	2
DN65-32	70x34	80	2
DN65-40	70x40	80	2
DN65-50	70x52	80	2
DN80-25	85x28	90	2
DN80-32	85x34	90	2
DN80-40	85x40	90	2
DN80-50	85x52	90	2
DN80-65	85x70	90	2
DN100-25	104x28	100	2
DN100-32	104x34	100	2
DN100-40	104x40	100	2
DN100-50	104x52	100	2
DN100-65	104x70	100	2
DN100-80	104x85	100	2
DN125-25	129x28	187.5	2
DN125-32	129x104	187.5	2
DN125-40	129x104	187.5	2
DN125-50	129x104	187.5	2
DN125-65	129x104	187.5	2
DN125-80	129x104	187.5	2
DN125-100	129x104	187.5	2
DN150-32	154x34	225	2
DN150-40	154x40	225	2
DN150-50	154x52	225	2
DN150-65	154x70	225	2
DN150-80	154x85	225	2
DN150-100	154x104	225	2
DN150-125	154x129	225	2

焊接式四通 Welded Cross



DIN No.QL-015



SIZE	A	L1	T
DN10	12/13	26	1.5
DN15	18/19	35	1.5
DN20	22/23	40	1.5
DN25	28/29	50	1.5
DN32	34/35	55	1.5
DN40	40/41	60	1.5
DN50	52/53	70	1.5
DN65	70	80	2
DN80	85	90	2
DN100	104	100	2
DN125	129	187	2
DN150	154	225	2
DN200	204	300	2
DN250	254	216	2
DN300	306	254	2

卡箍式大小头 Clamp reducer


DIN No.QL-017



SIZE	A	B	K1xK2	L1
DN20/15	22/23	18/19	34x34	86
DN25/20	28/29	22/23	50.5x34	86
DN32/20	34/35	22/23	50.5x34	106
DN32/25	34/35	28/29	50.5x50.5	106
DN40/20	40/41	22/23	50.5x34	128
DN40/25	40/41	28/29	50.5x50.5	128
DN40/32	40/41	34/35	50.5x50.5	128
DN50/25	52/53	28/29	64x50.5	141
DN50/32	52/53	34/35	64x50.5	141
DN50/40	52/53	40/41	64x50.5	141
DN65/25	70	28/29	91x50.5	151
DN65/32	70	34/35	91x50.5	151
DN65/40	70	40/41	91x50.5	146
DN65/50	70	52/53	91x64	146
DN80/40	85	40/41	106x50.5	166
DN80/50	85	52/53	106x64	151
DN80/65	85	70	106x91	146
DN100/50	104	52/53	119x64	192
DN100/65	104	70	119x91	159
DN100/80	104	85	119x106	152

长型焊接变径三通 Long Welding Reducing Tee



DIN No.QL-016



SIZE	A	B	L1	L2	T
DN15/10	18/19	12/13	11		1.5x1.5
DN20/10	22/23	12/13	18		1.5x1.5
DN20/15	22/23	18/19	7		1.5x1.5
DN25/15	28/29	18/19	18		1.5x1.5
DN25/20	28/29	22/23	11		1.5x1.5
DN32/20	34/35	22/23	22		1.5x1.5
DN32/25	34/35	28/29	11	16.5	1.5x1.5
DN40/20	40/41	22/23	33		1.5x1.5
DN40/25	40/41	28/29	22	33	1.5x1.5
DN40/32	40/41	34/35	22	16.5	1.5x1.5
DN50/25	52/53	28/29	44	66	1.5x1.5
DN50/32	52/53	34/35	33	49.5	1.5x1.5
DN50/40	52/53	40/41	22	33	1.5x1.5
DN65/25	70	28/29	73		2x1.5
DN65/32	70	34/35	62		2x1.5
DN65/40	70	40/41	51	77	2x1.5
DN65/50	70	52/53	29	44	2x1.5
DN80/40	85	40/41	78		2x1.5
DN80/50	85	52/53	56	85	2x1.5
DN80/65	85	70	27	41.2	2x2
DN100/50	104	52/53	90	137.5	2x1.5
DN100/65	104	70	61	93.5	2x2
DN100/80	104	85	34	52.5	2x2
DN125/80	129	85	80		2x2
DN125/100	129	104	45		2x2
DN150/100	129	104	90		2x2
DN150/125	154	129	45		2x2
DN200/150	204	154	90		2x2

由任式大小头 Union type reducer


DIN No.QL-018



SIZE	A	B	G1	G2	L1	L2
DN20/15	22/23	18/19	RD44x1/6	RD34x1/8	93	98
DN25/20	28/29	22/23	RD52x1/6	RD44x1/6	97	101
DN32/20	34/35	22/23	RD58x1/6	RD44x1/6	117	121
DN32/25	34/35	28/29	RD58x1/6	RD52x1/6	118	122
DN40/20	40/41	22/23	RD65x1/6	RD44x1/6	139	143
DN40/25	40/41	28/29	RD65x1/6	RD52x1/6	140	144
DN40/32	40/41	34/35	RD65x1/6	RD58x1/6	140	144
DN50/25	52/53	28/29	RD78x1/6	RD52x1/6	153	157
DN50/32	52/53	34/35	RD78x1/6	RD58x1/6	153	157
DN50/40	52/53	40/41	RD78x1/6	RD65x1/6	153	157
DN65/25	70	28/29	RD95x1/6	RD52x1/6	163	169
DN65/32	70	34/35	RD95x1/6	RD58x1/6	163	169
DN65/40	70	40/41	RD95x1/6	RD65x1/6	158	164
DN65/50	70	52/53	RD95x1/6	RD78x1/6	158	164
DN80/40	85	40/41	RD110x1/4	RD65x1/6	181	187
DN80/50	85	52/53	RD110x1/4	RD78x1/6	166	172
DN80/65	85	70	RD110x1/4	RD95x1/6	183	174
DN100/50	104	52/53	RD130x1/4	RD78x1/6	195	209
DN100/65	104	70	RD130x1/4	RD95x1/6	174	178
DN100/80	104	85	RD130x1/4	RD110x1/4	170	174

焊接式弯头45° Welded Elbow 45°


SMS No.QL-001



SIZE	A	R	L1	T
25	25.4	38.1	15.5	1.25/1.5
38	38.1	57.2	23.6	1.25/1.5
51	50.8	76.2	31.6	1.25/1.5
63	63.5	95.3	39.5	1.5/2
76	76.2	114.3	47.2	1.6/2
102	101.6	152.4	63	2
127	127	190.5	79.9	2
152.4	152.4	228.6	94.7	2
203.2	203.2	305	126.3	2

长型焊接式弯头90° Long Welded Elbow 90°


SMS No.QL-004



SIZE	A	R	L1	T
25	25.4	38.1	55	1.25/1.5
38	38.1	57.2	70	1.25/1.5
51	50.8	76.2	82	1.25/1.5
63	63.5	95.2	105	1.5/2
76	76.2	114.3	110	1.6/2
102	101.6	152.4	150	2
104	104	152.4	150	2
127	127	190.5	254	2
152.4	152.4	228.6	292	2
203.2	203.2	305	381	2

长型焊接式弯头45° Long Welded Elbow 45°


SMS No.QL-002



SIZE	A	R	L1	T
25	25.4	38.7	42.5	1.25/1.5
38	38.1	57.2	56.8	1.25/1.5
51	50.8	76.2	68.5	1.25/1.5
63	63.5	95.3	78.4	1.65/2
76	76.2	114.3	85.2	1.6/2
102	101.6	152.4	103	2
127	127	190.5	142.4	2
152.4	152.4	228.6	158.2	2
203.2	203.2	305	202.5	2

焊接变径平口三通 Welded reducing Tee


SMS No.QL-005



SIZE	AxB	L1	L2	T
38-25	38x25	70	21	1.5
51-25	51x25	82	29	1.5
51-38	51x38	82	29	1.5
63.5-25	63.5x25	105	36	1.5
63.5-38	63.5x38	105	36	1.5
63.5-51	63.5x51	105	36	1.5
76-25	76.1x25	110	44	1.6
76-38	76.1x38	110	44	1.6
76-51	76.1x51	110	44	1.6
76-63.5	76.1x63.5	110	44	1.6
101.6-25	101.6x25	150	58	2
101.6-38	101.6x38	150	58	2
101.6-51	101.6x51	150	58	2
101.6-63.5	101.6x63.5	150	58	2
101.6-76	101.6x76.1	150	58	2

焊接式弯头90° Welded Elbow 90°


SMS No.QL-003



SIZE	A	R	L1	T
25	25.4	38.1	38.1	1.25/1.5
32	31.8	47.7	47.7	1.25/1.5
38	38.1	57.2	57.1	1.25/1.5
51	50.8	76.2	76.2	1.25/1.5
63	63.5	95.2	95.2	1.5/2
76	76.2	114.3	114.3	1.65/2
102	101.6	152.4	152.4	2
104	104	152.4	152.4	2
127	127	190.5	190.5	2
152.4	152.4	228.6	228.6	2
203.2	203.2	305	305	2

焊接等径平口三通 Welded equal Tee


SMS No.QL-006



SIZE	A	L1	L2	T
25	25	55	15	1.25/1.5
38	38	70	21	1.25/1.5
51	51	82	29	1.25
63.5	63.5	105	36	1.5
76	76.1	110	44	1.6
101.6	101.6	150	58	2
127	127	190.5	72	2
152.4	153.4	228.6	85	2
203.2	203.2	305	110	2

焊接变径四通 Welding Reducing Cross


SMS No.QL-007



SIZE	AxB	L1	L2	T
38-25	38x25	70	21	1.25
51-25	51x25	82	29	1.25
51-38	51x38	82	29	1.25
63.5-25	63.5x25	105	36	1.5
63.5-38	63.5x38	105	36	1.5
63.5-51	63.5x51	105	36	1.5
76-25	76.1x25	110	44	1.6
76-38	76.1x38	110	44	1.6
76-51	76.1x51	110	44	1.6
76-53.5	76.1x63.5	110	44	1.6
101.6-25	101.6x25	150	58	2
101.6-38	101.6x38	150	58	2
101.6-51	101.6x51	150	58	2
101.5-63.5	101.6x63.5	150	58	2
101.6-76	101.6x76.1	150	58	2

焊接式大小头 Welded Reducer


SMS No.QL-009



SIZE	AxB	L1	L2	T
38.1-25.4	38.1x25.4	39	46	1.25x1.25 1.5x1.5
50.8-25.4	50.8x25.4	57	68	1.25x1.25 1.5x1.5
50.8-38.1	50.8x38.1	39	47	1.25x1.25 1.5x1.5
63.5-25.4	63.5x25.4	74	92	1.65x1.65 2x2
63.5-38.1	63.5x38.1	57	70	1.65x1.65 2x2
63.5-50.8	63.5x50.8	39	44	1.65x1.65 2x2
76.2-25.4	76.2x25.4	92	117	1.65x1.65 2x2
76.2-38.1	76.2x38.1	74	92	1.65x1.65 2x2
76.2-50.8	76.2x50.8	57	68	1.65x1.65 2x2
76.2-63.5	76.2x63.5	39	47	1.65x1.65 2x2
101.6-50.8	101.6x50.8	95	117	2x1.25
101.6-63.5	101.6x63.5	78	94	2x1.5
101.6-76.2	101.6x76.2	60	74	2x1.65

等径三通 Equal Tee


SMS No.QL-008



SIZE	A	L1	T
25	25	55	1.25
38	38	70	1.25
51	51	81	1.25
63.5	63.5	105	1.5
76	76.1	110	1.6
101.6	101.6	150	2
127	127	190.5	2
152.4	152.4	228.6	2
203.2	203.2	305.2	2

同心大小头 加长型 Long concentric Reducer


SMS No.QL-010



SIZE	AxB	L1	T
25-19	25x19	85	1.25x1.25 1.5x1.5
38-19	38x19	85	1.25x1.25 1.5x1.5
38-25	38x25	99	1.25x1.25 1.5x1.5
51-25	51x25	117	1.25x1.25 1.5x1.5
51-38	51x38	99	1.25x1.25 1.5x1.5
63.5-25	63.5x25	134	1.65x1.65 2x2
63.5-38	63.5x38	117.5	1.65x1.65 2x2
63.5-51	63.5x51	99	1.65x1.65 2x2
76.1-25	76.1x25	152	1.65x1.65 2x2
76.1-38	76.1x38	134	1.65x1.65 2x2
76.1-51	76.1x51	117	1.65x1.65 2x2
76.1-63	76.1x63.5	99	1.65x1.65 2x2
102-51	102x51	155	2x1.25
102-63	102x63.5	138	2x1.5
102-76	102x76.1	120	2x1.65

偏心大小头 加长型 Long eccentric reducer

SMS No.QL-011




SIZE	AxB	L1	T
38-25	38x25	106	1.25x1.25 1.5x1.5
51-25	51x25	128	1.25x1.25 1.5x1.5
51-38	51x38	107	1.25x1.25 1.5x1.5
63.5-25	63.5x25	150.5	1.65x1.65 2x2
63.5-38	63.5x38	130	1.65x1.65 2x2
63.5-51	63.5x51	104	1.65x1.65 2x2
76.1-38	76.1x38	149	1.65x1.65 2x2
76.1-51	76.1x51	128	1.65x1.65 2x2
76.1-63	76.1x63.5	107	1.65x1.65 2x2
101-51	101.6x51	177	2x2
101-63	101.6x63.5	154	2x2
101-76	101.6x76.1	134	2x2
102-51	102x51	177	2x2
102-63	102x63.5	154	2x2
102-76	102x76.1	134	2x2



焊接式弯头45° Welded Elbow 45°


3A No.QL-001



SIZE	A	R	L1	T
1/2"	12.7	19	7.1	1.65
3/4"	19	28.6	11.9	1.65
1"	25.4	38.1	15.8	1.65
1 1/4"	31.8	47.7	19.8	1.65
1 1/2"	38.1	57.2	23.8	1.65
2"	50.8	76.2	31.8	1.65
2 1/2"	63.5	95.3	39.6	1.65
3"	76.2	114.3	47.6	1.65
4"	101.6	152.4	63.5	2.1
6"	152.4	228.6	94.7	2.8
8"	203.2	305.2	126.4	2.8
10"	254	381	157.8	2.8
12"	304.8	457	189.3	2.8

长型焊接式弯头90° Long Welded Elbow 90°


3A No.QL-004



SIZE	A	R	L1	T
1/2"	12.7	19.1	25.4	1.65
3/4"	19.1	28.6	38.1	1.65
1"	25.4	38.1	52.4	1.65
1 1/4"	31.8	47.7	69.7	1.65
1 1/2"	38.1	57.2	74.6	1.65
2"	50.8	76.2	103.2	1.65
2 1/2"	63.5	95.3	131.8	1.65
3"	76.2	114.3	160.3	1.65
4"	101.6	152.4	211.1	2
6"	152.4	228.6	292.1	2.8
8"	203.2	228.6	304.8	2.8

长型焊接式弯头45° Long Welded Elbow 45°


3A No.QL-002



SIZE	A	R	L1	T
1/2"	12.7	19	57.2	1.65
3/4"	19.5	28.58	57.2	1.65
1"	25.4	38.1	30.2	1.65
1 1/4"	31.8	47.7	41.3	1.65
1 1/2"	38.1	57.2	41.3	1.65
2"	50.8	76.2	58.7	1.65
2 1/2"	63.5	95.3	76.2	1.65
3"	76.2	114.3	93.7	1.65
4"	101.6	152.4	122.2	2.1
6"	152.4	228.6	158.2	2.8

卡箍式弯头45° Clamped Elbow 45°


3A No.QL-005



SIZE	L1	K1	T
1"	28.5	50.5	1.65
1 1/2"	36.5	50.5	1.65
2"	44.5	64	1.65
2 1/2"	52.3	77	1.65
3"	60.3	91	1.65
4"	76.2	119	2.1

焊接式弯头90° Welded Elbow 90°


3A No.QL-003



SIZE	A	R	L1	T
1/2"	12.7	19.1	19.1	1.65
3/4"	19.1	28.6	28.6	1.65
1"	25.4	38.1	38.1	1.65
1 1/4"	31.8	47.7	47.7	1.65
1 1/2"	38.1	57.2	57.2	1.65
2"	50.8	76.2	76.2	1.65
2 1/2"	63.5	95.3	95.3	1.65
3"	76.2	114.3	114.3	1.65
4"	101.6	152.4	152.4	2.1
5"	127	190.5	190.5	2
6"	152.4	228.6	228.6	2.8
8"	203.2	304.8	304.8	2.8
10"	254	381	381	2.8
12"	304.8	457.2	457.2	2.8

卡箍式弯头45° Clamped Elbow 45°


3A No.QL-006



SIZE	L1	K1	T
1"	50.8	50.5	1.65
1 1/2"	69.9	50.5	1.65
2"	88.9	64	1.65
2 1/2"	108	77	1.65
3"	127	91	1.65
4"	168.2	119	2.1

焊接式弯头180° Welded Elbow 180°


3A No.QL-007



SIZE	A	L1	L2
1"	25.4	76.2	38.1
1 1/2"	38.1	114.3	57.2
2"	50.8	152.4	76.2
2 1/2"	63.5	190.5	95.3
3"	76.2	228.6	114.3
4"	101.6	304.8	152.4

卡箍式三通 Clamped Tee


3A No.QL-010



SIZE	L1	L2	K1	T
1"	120.6	60.3	50.5	1.65
1 1/2"	139.8	69.9	50.5	1.65
2"	177.8	88.9	64	1.65
2 1/2"	177.8	88.9	77	1.65
3"	190.6	95.3	91	1.65
4"	228.4	114.2	119	2.1

焊接式短三通 Short Welded Tee


3A No.QL-008



SIZE	A	L1	T
1/2"	12.7	19	1.65
3/4"	19	28.6	1.65
1"	25.4	28.6	1.65
1 1/4"	31.8	35	1.65
1 1/2"	38.1	42	1.65
2"	50.8	52.3	1.65
2 1/2"	63.5	59.5	1.65
3"	76.2	65.9	1.65
4"	101.6	87.3	2.11
6"	152.4	127	2.8
8"	203.2	178	2.8
10"	254	216	2.8

焊接式短四通 Short Welded Cross


3A No.QL-011



SIZE	A	L1	T
1"	25.4	28.6	1.65
1 1/4"	31.8	38	1.65
1 1/2"	38.1	42.1	1.65
2"	50.8	52.4	1.65
2 1/2"	63.5	54.5	1.65
3"	76.2	65.9	1.65
4"	101.6	87.3	2.11

长型焊接式三通 Long Welded Tee


3A No.QL-009



SIZE	A	L1	T
1/2"	12.7	47.6	1.65
3/4"	19	47.6	1.65
1"	25.4	47.6	1.65
1 1/4"	31.8	55	1.65
1 1/2"	38.1	57.2	1.65
2"	50.8	76.2	1.65
2 1/2"	63.5	76.2	1.65
3"	76.2	82.6	1.65
4"	101.6	98.4	2.11
6"	152.4	143	2.8
8"	203.2	178	2.8
10"	254	216	2.8

长型焊接式四通 Long Welded Cross



3A No.QL-012





SIZE	A	L1	T
1/2"	12.7	76.2	1.65
3/4"	19	47.6	1.65
1"	25.4	47.6	1.65
1 1/4"	31.8	55	1.65
1 1/2"	38.1	57.2	1.65
2"	50.8	76.2	1.65
2 1/2"	63.5	76.2	1.65
3"	76.2	82.6	1.65
4"	101.6	98.4	2.11
6"	152.4	127	2.77

焊接式大小头 Welded Reducer

3A No.QL-013



SIZE	AxB	L1	T
1"-3/4"	25.4x19	25.4	1.65x1.65
1 1/2"-3/4"	38.1x19	76.2	1.65x1.65
1 1/2"-1"	38.1x25.4	50.8	1.65x1.65
2"-1"	50.8x25.4	101.6	1.65x1.65
2"-1 1/2"	50.8x38.1	50.8	1.65x1.65
2 1/2"-1"	63.5x25.4	152.4	1.65x1.65
2 1/2"-1 1/2"	63.5x38.1	101.6	1.65x1.65
2 1/2"-2"	63.5x50.8	50.8	1.65x1.65
3"-1"	76.2x25.4	203.2	1.65x1.65
3"-1 1/2"	76.2x38.1	152.4	1.65x1.65
3"-2"	76.2x50.8	101.6	1.65x1.65
3"-2 1/2"	76.2x63.5	50.8	1.65x1.65
4"-1 1/2"	101.6x38.1	254	2.11x1.65
4"-2"	101.6x50.8	203.2	2.11x1.65
4"-2 1/2"	101.6x63.5	152.4	2.11x1.65
4"-3"	101.6x76.2	101.6	2.11x1.65
6"-3"	152.4x76.2	140	2.77x1.65
6"-4"	152.4x101.6	140	2.77x2.11



同心大小头 Concentric Reducer

3A No.QL-015

SIZE	AxB	L1	T
1/2"x1/4"	12.7x6.35	25.4	1.65
1/2"x3/8"	12.7x9.53	25.4	1.65
3/4"x1/2"	19.1x12.7	25.4	1.65
3/4"x3/8"	19.1x9.53	25.4	1.65
1"x1/2"	25.4x12.7	38.1	1.65
1"x3/8"	25.4x9.53	38.1	1.65
1"x3/4"	25.4x19.1	25.4	1.65
1.5"x1/2"	38.1x12.7	63.5	1.65
1.5"x3/4"	38.1x19.1	50.8	1.65
1.5"x1"	38.1x25.4	50.8	1.65
2"x1/2"	50.8x12.7	114.3	1.65
2"x3/4"	50.8x19.1	101.6	1.65
2"x1"	50.8x25.4	101.6	1.65
2"x1.5"	50.8x38.1	50.8	1.65
2.5"x1"	63.5x25.4	152.4	1.65
2.5"x1.5"	63.5x38.1	101.6	1.65
2.5"x2"	63.5x50.8	50.8	1.65
3"x1"	76.2x25.4	203.2	1.65
3"x1.5"	76.2x38.1	152.4	1.65
3"x2"	76.2x50.8	101.6	1.65
3"x2.5"	76.2x63.2	50.8	1.65
4"x1"	101.6x25.4	304.8	2.1
4"x1.5"	101.6x38.1	254	2.1
4"x2"	101.6x50.8	203.2	2.1
4"x2.5"	101.6x63.2	152.4	2.1
4"x3"	101.6x76.2	101.6	2.1
5"x4"	127x101.6	70	2.77
6"x3"	152.4x76.2	241.3	2.77
6"x4"	152.4x101.6	139.7	2.77



同心大小头 加长型 Long concentric reducer

3A No.QL-016

SIZE	AxB	L1	T
1/2"x1/4"	12.7x6.35	101.6	1.65
1/2"x3/8"	12.7x9.53	101.6	1.65
3/4"x3/8"	19.1x9.53	101.6	1.65
3/4"x1/2"	19.1x12.7	101.6	1.65
1"x1/2"	25.4x12.7	114.3	1.65
1"x3/8"	25.4x9.53	114.3	1.65
1"x3/4"	25.4x19.1	101.6	1.65
1.5"x1/2"	38.1x12.7	139.7	1.65
1.5"x3/4"	38.1x19.1	127	1.65
1.5"x1"	38.1x25.4	127	1.65
2"x1/2"	50.8x12.7	196.9	1.65
2"x3/4"	50.8x19.1	184.2	1.65
2"x1"	50.8x25.4	184.2	1.65
2"x1.5"	50.8x38.1	133.4	1.65
2.5"x1/2"	63.5x12.7	247.7	1.65
2.5"x3/4"	63.5x19.1	235	1.65
2.5"x1"	63.5x25.4	235	1.65
2.5"x1.5"	63.5x38.1	164.2	1.65
2.5"x2"	63.5x50.8	139.7	1.65
3"x1/2"	76.2x12.7	298.5	1.65
3"x1"	76.2x25.4	285.8	1.65
3"x1.5"	76.2x38.1	235	1.65
3"x2"	76.2x50.8	190.5	1.65
3"x2.5"	76.2x63.5	139.7	1.65
4"x1"	101.6x25.4	393.7	2.1
4"x1.5"	101.6x38.1	342.9	2.1
4"x2"	101.6x50.8	298.5	2.1
4"x2.5"	101.6x63.5	247.7	2.1
4"x3"	101.6x76.2	196.9	2.1
6"x4"	152.4x101.6	254	2.77

卡箍式大小头 Clamp reducer


3A No.QL-014



SIZE	AxB	K1xK2	L1	T
3/4"-1/2"	19x12.7	25.2x25.2	50.8	1.65x1.65
1"-1/2"	25.4x12.7	50.5x25.2	76.2	1.65x1.65
1"-3/4"	25.4x19	50.5x25.2	50.8	1.65x1.65
1 1/2"-3/4"	38.1x19	50.5x25.2	101.6	1.65x1.65
1 1/2"-1"	38.1x25.4	50.5x50.5	76.2	1.65x1.65
1 1/2"-1 1/2"	38.1x12.7	50.5x25.2	127	1.65x1.65
2"-1/2"	51x12.7	64x25.2	177.8	1.65x1.65
2"-3/4"	51x19	64x25.2	152.4	1.65x1.65
2"-1"	50.8x25.4	64x50.5	127	1.65x1.65
2"-1 1/2"	50.8x38.1	64x50.5	76.2	1.65x1.65
2 1/2"-1 1/2"	63.5x38.1	77.5x50.5	127	1.65x1.65
2 1/2"-2"	63.5x50.8	77.5x64	76.2	1.65x1.65
3"-1"	76.2x25.4	91x50.5	228.6	1.65x1.65
3"-1 1/2"	76.2x38.1	91x50.5	177.8	1.65x1.65
3"-2"	76.2x50.8	91x64	127	1.65x1.65
3"-2 1/2"	76.2x63.5	91x77.5	76.2	1.65x1.65
4"-1/2"	101.6x38.1	119x50.5	282.5	2x1.65
4"-2"	101.6x50.8	119x64	231.8	2x1.65
4"-2 1/2"	101.6x63.5	119x77.5	181	2x1.65
4"-3"	101.6x76.2	119x91	130.2	2x1.65
6"-3"	152.4x76.2	167x91	263.5	2.8x1.65
6"-4"	152.4x101.6	167x119	266.7	2.8x2.1

对焊Y型三通 Butt-weld Y Type Tee


3A No.QL-017



SIZE	A	L1	L2	L3	T
1/2"	12.7	152.4	127	25.4	1.65
3/4"	19.05	152.4	127	25.4	1.65
1"	25.4	152.4	127	25.4	1.65
1 1/2"	38.1	187.3	173.1	30.2	1.65
2"	50.8	222.2	180.9	41.3	1.65
2 1/2"	63.5	254	215.9	38.1	1.65
3"	76.2	273.1	225.4	47.6	1.65
4"	101.6	325.5	273.1	52.4	2.1
6"	152.4	419.1	317.5	101.6	2.8

对焊Y型三通 Butt-weld Y type Tee


3A No.QL-019



SIZE	A	L1	T
1/2"	12.7	50.8	1.65
3/4"	19.05	50.8	1.65
1"	25.4	76.2	1.65
1 1/2"	38.1	76.2	1.65
2"	50.8	101.6	1.65
2 1/2"	63.5	127	1.65
3"	76.2	152.4	1.65
4"	101.6	203.2	2.1
6"	152.4	203.2	2.8

对焊Y型变径三通 Butt-weld Y-type reducing Tee


3A No.QL-018



SIZE	A	L1	L2	L3	T
1 1/2"-1"	38.1x25.4	187.3	157.2	30.2	1.65x1.65
2"-1"	50.8x25.4	222.2	181	41.3	1.65x1.65
2"-1 1/2"	50.8x38.1	222.2	181	41.3	1.65x1.65
2 1/2"-1"	63.5x25.4	254	215.9	38.1	1.65x1.65
2 1/2"-1 1/2"	63.5x38.1	254	215.9	38.1	1.65x1.65
2 1/2"-2"	63.5x50.8	254	215.9	38.1	1.65x1.65
3"-1"	76.2x25.4	273.1	225.4	47.6	1.65x1.65
3"-1 1/2"	76.2x38.1	273.1	225.4	47.6	1.65x1.65
3"-2"	76.2x50.8	273.1	225.4	47.6	1.65x1.65
3"-2 1/2"	76.2x63.5	273.1	225.4	47.6	1.65x1.65
4"-1"	101.6x25.4	325.5	273.1	52.4	2.1x1.65
4"-1 1/2"	101.6x38.1	325.5	273.1	52.4	2.1x1.65
4"-2"	101.6x50.8	274.7	273.1	52.4	2.1x1.65
4"-2 1/2"	101.6x63.5	325.5	273.1	52.4	2.1x1.65
4"-3"	101.6x76.2	325.5	273.1	52.4	2.1x1.65

对焊R型三通 Butt-weld swept Tee


3A No.QL-020



SIZE	A	R	L1	T
1"	25.4	38.1	65	1.65
1 1/2"	38.1	57.2	85	1.65
2"	50.8	76.2	110	1.65
2 1/2"	63.5	95.3	135	1.65
3"	76.2	114.3	155	1.65
4"	101.6	152.4	195	2.1

90°夹式双弯头 90° Clamp seagull Tee


3A No.QL-021



SIZE	A	K1	L1
1"	25.4	50.5	50.8
1 1/4"	31.75	50.5	69.85
1 1/2"	38.1	50.5	60.4
2"	50.8	64	88.9
2 1/2"	63.5	77.5	107.9
3"	76.2	91	127
4"	101.6	119	168.4

焊接式弯头45° Welded Elbow 45°


ISO/IDF No.QL-001



SIZE	A	R	L1	T
1"	25.4	33.5	13.9	1.2/1.5
1 1/4"	32	38	15.7	1.2/1.5
1 1/2"	38.1	48.5	20.1	1.2/1.5
2"	50.8	60.5	25.1	1.2/1.5
2 1/2"	63.5	83.5	34.6	2
3"	76.2	88.5	36.7	2
3 1/2"	89	103.5	42.9	2
4"	101.6	127	52.1	2

卡箍式弯头90° Clamped Elbow 90°


ISO/IDF No.QL-004



SIZE	A	R	L1	K1
1"	25.4	33.5	55	50.5
1 1/4"	31.8	38	59.5	50.5
1 1/2"	38.1	48.5	70	50.5
2"	50.8	60.5	82	64
2 1/2"	63.5	83.5	105	77.5
3"	76.2	88.5	110	91
3 1/2"	89	103.5	125	106
4"	101.6	127	148.5	119

焊接式弯头90° Welded Elbow 90°


ISO/IDF No.QL-002



SIZE	A	R	L1	T
1"	25.4	33.5	33.5	1.2/1.5
1 1/4"	32	38	38	1.2/1.5
1 1/2"	38.1	48.5	48.5	1.2/1.5
2"	50.8	60.5	60.5	1.2/1.5
2 1/2"	63.5	83.5	83.5	2
3"	76.2	88.5	88.5	2
3 1/2"	89	103.5	103.5	2
4"	101.6	127	127	2
4 1/2"	114.3	152.4	152.4	2
5"	127	190.5	190.5	2.77
6"	152.4	228.6	228.6	2.77

焊接式三通 Welded Tee


ISO/IDF No.QL-005



SIZE	A	L1	T
1"	25.4	33.5	1.2/1.5
1 1/4"	31.8	38.1	1.2/1.5
1 1/2"	38.1	48.5	1.2/1.5
2"	50.8	60.5	1.2/1.5
2 1/2"	63.5	83.5	2
3"	76.2	88.5	2
3 1/2"	88.9	103.5	2
4"	101.6	127	2

卡箍式弯头45° Clamped Elbow 45°


ISO/IDF No.QL-003



SIZE	A	R	L1	K1
1"	25.4	33.5	35.4	50.5
1 1/4"	31.8	38	37.2	50.5
1 1/2"	38.1	48.5	41.6	50.5
2"	50.8	60.5	46.6	64
2 1/2"	63.5	83.5	56.1	77.5
3"	76.2	88.5	58.2	91
3 1/2"	89	103.5	64.4	106
4"	101.6	127	72.3	119

卡箍式三通 Clamped Tee


ISO/IDF No.QL-006



SIZE	A	L1	K1
1"	25.4	55	50.5
1 1/4"	31.8	59.5	50.5
1 1/2"	38.1	70	50.5
2"	50.8	82	64
2 1/2"	63.5	104.5	77.5
3"	76.2	109.5	91
3 1/2"	89	124.5	106
4"	101.6	148.5	119

焊接式四通 Welded Cross



ISO/IDF No.QL-007



SIZE	A	L1	T
1"	25.4	33.5	1.2/1.5
1 1/4"	32	38	1.2/1.5
1 1/2"	38	48.5	1.2/1.5
2"	51	60.5	1.2/1.5
2 1/2"	63.5	83.5	2
3"	76.2	88.5	2
3 1/2"	89	103.5	2
4"	101.6	127	2

焊接式大小头 Welded Reducer



ISO/IDF No.QL-008



SIZE	AxB	L1	T
1"-3/4"	25.4x19	38	1.2/1.5x1.2/1.5
1 1/4"-1"	31.8x25.4	50	1.2/1.5x1.2/1.5
1 1/2"-1"	38.1x25.4	50	1.2/1.5x1.2/1.5
1 1/2"-1 1/4"	38.1x31.8	50	1.2/1.5x1.2/1.5
2"-1"	50.8x25.4	67	1.2/1.5x1.2/1.5
2"-1 1/4"	50.8x31.8	67	1.2/1.5x1.2/1.5
2"-1 1/2"	50.8x38.1	67	1.2/1.5x1.2/1.5
2 1/2"-1"	63.5x25.4	67	2x1.2/1.5
2 1/2"-1 1/2"	63.5x38.1	67	2x1.2/1.5
2 1/2"-2"	63.5x50.8	67	2x1.2/1.5
3"-1 1/2"	76.2x38.1	67	2x1.2/1.5
3"-2"	76.2x50.8	67	2x1.2/1.5
3"-2 1/2"	76.2x63.5	67	2x2
3 1/2"-2"	88.9x50.8	67	2x1.2/1.5
3 1/2"-2 1/2"	88.9x63.5	67	2x2
3 1/2"-3"	88.9x76.2	67	2x2
4"-2"	101.6x50.8	102	2x1.2/1.5
4"-2 1/2"	101.6x63.5	102	2x2
4"-3"	101.6x76.2	102	2x2
4"-3 1/2"	101.6x88.9	102	2x2

卡箍式大小头 Clamp Reducer

ISO/IDF No.QL-009



SIZE	AxB	K1xK2	L1
1"x3/4"	25.4x19	50.5x34	80
1 1/4"x1"	31.8x25.4	50.5x50.5	92
1 1/2"x1 1/4"	38.1x31.8	50.5x50.5	92
1 1/2"x1"	38.1x25.4	50.5x50.5	92
2"x1 1/2"	50.8x38.1	64x50.5	109
2"x1 1/4"	50.8x31.8	64x50.5	109
2"x1"	50.8x25.4	64x50.5	109
2 1/2"x2"	63.5x50.8	77.5x64	109
2 1/2"x1 1/2"	63.5x38.1	77.5x50.5	109
2 1/2"x1"	63.5x25.4	77.5x50.5	109
3"x2 1/2"	76.2x63.5	91x77.5	109
3"x2"	76.2x50.8	91x64	109
3"x1 1/2"	76.2x38.1	91x50.5	109
3 1/2"x3"	89x76.2	106x91	109
3 1/2"x2 1/2"	89x63.5	106x77.5	109
3 1/2"x2"	89x50.8	106x64	109
4"x3 1/2"	101.6x89	119x106	145
4"x3"	101.6x76.2	119x91	145
4"x2 1/2"	101.6x63.5	119x77.5	145
4"x2"	101.6x50.8	119x64	145

短型焊接式弯头45° Short Welded Elbow 45°


BS No.QL-001



SIZE	A	R	L1	T
1"	25.4	38.1	15.8	1.65
1 1/2"	38.1	57.2	23.7	1.65
2"	50.8	76.2	31.8	1.65
2 1/2"	63.5	95.3	39.6	1.65
3"	76.2	114.3	47.5	1.65
4"	101.6	152.4	63.2	2.11

长型焊接式弯头45° Long Welded Elbow 45°


BS No.QL-002



SIZE	A	R	L1	T
1"	25.4	38.1	30.2	1.65
1 1/2"	38.1	57.2	41.3	1.65
2"	50.8	76.2	58.7	1.65
2 1/2"	63.5	95.3	76.2	1.65
3"	76.2	114.3	93.7	1.65
4"	101.6	152.4	122.2	2.11

焊接式弯头90° Welded Elbow 90°


BS No.QL-003



SIZE	A	R	L1	T
1"	25.4	38.1	43.5	1.65
1 1/4"	31.8	47.7	53.5	1.65
1 1/2"	38.1	57.2	63.5	1.65
2"	50.8	76.2	88.5	1.65
2 1/2"	63.5	95.3	113.5	1.65
3"	76.2	114.3	133.5	1.65
4"	101.6	152.4	173.5	2.11

长型焊接式弯头90° Long Welded Elbow 90°


BS No.QL-004



SIZE	A	R	L1	T
1/2"	12.7	19	45	1.65
3/4"	19	28.58	60	1.65
1"	25.4	38.1	65	1.65
1 1/4"	31.8	47.7	75	1.65
1 1/2"	38.1	57.2	85	1.65
2"	50.8	76.2	110	1.65
2 1/2"	63.5	95.3	135	1.65
3"	76.2	114.3	155	1.65
4"	101.6	152.4	195	2.11

卡箍式弯头90° Clamped Elbow 90°


BS No.QL-005



SIZE	A	R	L1	K1	T
1"	25.4	38.1	65	50.5	1.65
1 1/2"	38.1	57.2	85	50.5	1.65
2"	50.8	76.2	110	64	1.65
2 1/2"	63.5	95.3	135	77.5	1.65
3"	76.2	114.3	155	91	1.65
4"	101.6	152.4	195	119	2.11

焊接式四通 Welded Cross


BS No.QL-009



SIZE	A	L1	T
1"	25.4	65	1.65
1 1/2"	38.1	85	1.65
2"	50.8	110	1.65
2 1/2"	63.5	135	1.65
3"	76.2	155	1.65
4"	101.6	195	2.11

短型焊接式三通 Short Welded Tee


BS No.QL-006



SIZE	A	L1	T
1"	25.4	43.5	1.65
1 1/4"	31.8	53.5	1.65
1 1/2"	38.1	63.5	1.65
2"	50.8	88.5	1.65
2 1/2"	63.5	113.5	1.65
3"	76.2	133.5	1.65
4"	101.6	173.5	2.11

长型焊接式三通 Long Welded Tee


BS No.QL-007



SIZE	A	L1	T
1"	25.4	65	1.65
1 1/2"	38.1	85	1.65
2"	50.8	110	1.65
2 1/2"	63.5	135	1.65
3"	76.2	155	1.65
4"	101.6	195	2.11

卡箍式三通 Clamped Tee


BS No.QL-008



SIZE	A	L1	K1	T
1/2"	12.7	57.2	25.4	1.65
3/4"	19	60.3	25.4	1.65
1"	25.4	66.7	50.5	1.65
1 1/2"	38.1	73	50.5	1.65
2"	50.8	85.7	64	1.65
2 1/2"	63.5	92.1	77.5	1.65
3"	76.2	98.4	91	1.65
4"	101.6	120.7	119	2.11

长型焊接式弯头45° Long Welded Elbow 45°


AS No.QL-001



SIZE	A	R	L1	T
1/2"	12.7	19.05	37.9	1.6
3/4"	19.1	28.6	41.8	1.6
1"	25.4	38.1	45.8	1.6
1 1/4"	31.8	47.7	49.7	1.6
1 1/2"	38.1	57.2	53.7	1.6
2"	50.8	76.2	61.6	1.6
2 1/2"	63.5	95.3	69.5	1.6
3"	76.2	114.3	77.3	1.6
4"	101.6	152.4	92.8	2

焊接式弯头90° Welded Elbow 45°


AS No.QL-002



SIZE	A	R	L1	T
1/2"	12.7	19.05	19.1	1.6
3/4"	19.1	28.6	28.6	1.6
1"	25.4	38.1	38.1	1.6
1 1/4"	31.8	47.7	47.7	1.6
1 1/2"	38.1	57.2	57	1.6
2"	50.8	76.2	76.2	1.6
2 1/2"	63.5	95	95	1.6
3"	76.2	114.3	114.2	1.6
4"	101.6	152.4	152.4	2

焊接式三通 Welded Tee


AS No.QL-005



SIZE	A	L1	T
1/2"	12.7	19.1	1.6
3/4"	19.1	28.6	1.6
1"	25.4	38.1	1.6
1 1/4"	31.8	47.7	1.6
1 1/2"	38.1	57	1.6
2"	50.8	76.2	1.6
2 1/2"	63.5	95	1.6
3"	76.2	114.2	1.6
4"	101.6	152.4	2

长型焊接式弯头90° Long Welded Elbow 90°


AS No.QL-003



SIZE	A	R	L1	T
1/2"	12.7	19.05	49.1	1.6
3/4"	19.1	28.6	58.6	1.6
1"	25.4	38.1	68.1	1.6
1 1/4"	31.8	47.7	77.7	1.6
1 1/2"	38.1	57.2	87	1.6
2"	50.8	76.2	106.2	1.6
2 1/2"	63.5	95	125	1.6
3"	76.2	114.3	144.2	1.6
4"	101.6	152.4	182.4	2

长型焊接式三通 Long Welded Tee


AS No.QL-006



SIZE	A	L1	T
1/2"	12.7	49.1	1.6
3/4"	19.1	58.6	1.6
1"	25.4	68.1	1.6
1 1/4"	31.8	77.7	1.6
1 1/2"	38.1	87	1.6
2"	50.8	106.2	1.6
2 1/2"	63.5	125	1.6
3"	76.2	144.2	1.6
4"	101.6	182.4	2

平口焊接式三通 Welded Tee


AS No.QL-004



SIZE	A	L1	L2	T
1/2"	12.7	19.1	9.35	1.6
3/4"	19.1	28.6	12.55	1.6
1"	25.4	38.1	15.7	1.6
1 1/4"	31.8	47.7	18.9	1.6
1 1/2"	38.1	57	22.05	1.6
2"	50.8	76.2	28.4	1.6
2 1/2"	63.5	95	34.75	1.6
3"	76.2	114.2	41.1	1.6
4"	101.6	152.4	53.8	2

变径焊接式三通 Welded Reducing Tee


AS No.QL-007



SIZE	AxB	L1	T
1 1/2"-1"	38.1x25.4	80	1.6
2"-1"	50.8x25.4	80	1.6
2"-1 1/2"	50.8x38.1	80	1.6
2 1/2"-1 1/2"	63.5x38.1	80	1.6
2 1/2"-2"	63.5x50.8	80	1.6
3"-1 1/2"	76.2x38.1	80	1.6
3"-2"	76.2x50.8	80	1.6
3"-2 1/2"	76.2x63.5	80	1.6
4"-2"	101.6x50.8	80	1.6
4"-2 1/2"	101.6x63.5	80	1.6
4"-3"	101.6x76.2	80	2

平口变径焊接三通 Welded reducing Tee


AS No.QL-008



SIZE	AxB	L1	L2	T
1 1/2"-1"	38.1x25.4	80	22.05	1.6
2"-1"	50.8x25.4	80	28.4	1.6
2"-1 1/2"	50.8x38.1	80	28.4	1.6
2 1/2"-1 1/2"	63.5x38.1	80	34.75	1.6
2 1/2"-2"	63.5x50.8	80	34.75	1.6
3"-1 1/2"	76.2x38.1	80	41.1	1.6
3"-2"	76.2x50.8	80	41.1	1.6
3"-2 1/2"	76.2x63.5	80	41.1	1.6
4"-2"	101.6x50.8	80	53.8	1.6
4"-2 1/2"	101.6x63.5	80	53.8	1.6
4"-3"	101.6x76.2	80	53.8	2

焊接式大小头 Welded reducer


AS No.QL-011



SIZE	AxB	L1	T
3/4"-1/2"	19.1x12.7	19.1	1.6
1"-1/2"	25.4x12.7	25.4	1.6
1"-3/4"	25.4x19.1	25.4	1.6
1 1/4"-3/4"	31.8x19.1	31.8	1.6
1 1/4"-1"	31.8x25.4	31.8	1.6
1 1/2"-3/4"	38.1x19.1	38.1	1.6
1 1/2"-1"	38.1x25.4	38.1	1.6
2"-1/2"	50.8x12.7	50.8	1.6
2"-3/4"	50.8x19.1	50.8	1.6
2"-1"	50.8x25.4	50.8	1.6
2"-1 1/4"	50.8x31.8	50.8	1.6
2"-1 1/2"	50.8x38.1	50.8	1.6
2 1/2"-1"	63.5x25.4	63.5	1.6
2 1/2"-1 1/4"	63.5x31.8	63.5	1.6
2 1/2"-1 1/2"	63.5x38.1	63.5	1.6
2 1/2"-2"	63.5x50.8	63.5	1.6
3"-1"	76.2x25.4	76.2	1.6
3"-1 1/4"	76.2x31.8	76.2	1.6
3"-1 1/2"	76.2x38.1	76.2	1.6
3"-2"	76.2x50.8	76.2	1.6
3"-2 1/2"	76.2x63.5	76.2	1.6
4"-1"	101.6x25.4	101.6	2
4"-1 1/4"	101.6x31.8	101.6	2
4"-1 1/2"	101.6x38.1	101.6	2
4"-2"	101.6x50.8	101.6	2
4"-2 1/2"	101.6x63.5	101.6	2
4"-3"	101.6x76.2	101.6	2

焊接式四通 Welded Cross


AS No.QL-009



SIZE	A	L1	T
1/2"	12.7	19.1	1.6
3/4"	19.1	28.6	1.6
1"	25.4	38.1	1.6
1 1/4"	31.8	47.7	1.6
1 1/2"	38.1	57	1.6
2"	50.8	76.2	1.6
2 1/2"	63.5	95	1.6
3"	76.2	114.2	1.6
4"	101.6	152.4	2

长型焊接三通 Long Welded Tee


AS No.QL-010



SIZE	A	L1	T
1/2"	12.7	49.1	1.6
3/4"	19.1	58.6	1.6
1"	25.4	68.1	1.6
1 1/4"	31.8	77.7	1.6
1 1/2"	38.1	87	1.6
2"	50.8	106.2	1.6
2 1/2"	63.5	125	1.6
3"	76.2	144.2	1.6
4"	101.6	182.4	2

长型焊接弯头45° Long Welded Elbow 45°

BPE No.QL-001




SIZE	A	R	L1	T
1/2"	12.7	19.1	57.2	1.65
3/4"	19.05	28.6	57.2	1.65
1"	25.4	38.1	57.2	1.65
1 1/2"	38.1	57.2	63.5	1.65
2"	50.8	76.2	76.2	1.65
2 1/2"	63.5	95.3	85.7	1.65
3"	76.2	114.3	92.1	1.65
4"	101.6	152.4	114.3	2.11
6"	152.4	298.6	158.8	2.77

钢管 Steel pipe

 Spec: ASTM A269
 Material: 304L/316L
 Surface Finish: AP/BA/MP/EP

BA No. QL-001



SIZE	OD	T	A	Kg/m
1/4"	6.35	0.89/1.0	6000	0.124
3/8"	9.53	0.89/1.0	6000	0.197
1/2"	12.70	1.24/1.0	6000	0.354
5/8"	15.88	1.24/1.65	6000	0.452
3/4"	19.05	1.65/1.24	6000	0.720
1"	25.40	1.65/1.24	6000	0.982
1 1/4"	31.75	1.65	6000	1.237
1 1/2"	38.10	1.65	6000	1.508
2"	50.80	1.65	6000	2.033
2 1/2"	63.50	1.65	6000	2.558
3"	76.20	1.65	6000	3.084
4"	101.60	2.11	6000	5.263
5"	127.00	2.11	6000	6.565
6"	152.40	2.77	6000	10.326

45°长弯头 45°Elbow


BA No. QL-003



SIZE	OD	T	A	I	R
1/4"	6.35	0.89/1.0	38.0	29.0	20.0
3/8"	9.53	0.89/1.0	39.0	29.0	23.0
1/2"	12.70	1.24/1.0	40.0	29.0	25.0
5/8"	15.88	1.24/1.65	48.0	36.0	28.0
3/4"	19.05	1.65/1.24	49.0	36.0	30.0
1"	25.40	1.65/1.24	50.0	36.0	33.0
1 1/4"	31.75	1.65	56.0	36.0	47.6
1 1/2"	38.10	1.65	70.0	46.0	57.2
2"	50.80	1.65	78.0	46.0	76.2
2 1/2"	63.50	1.65	91.0	51.0	95.3
3"	76.20	1.65	91.0	51.0	95.3
4"	101.60	2.11	107.0	51.0	133.4
5"	127.00	2.11	140.0	56.0	190.5
6"	152.40	2.77	155.0	56.0	228.6

90°长弯头 90°Elbow

BA No. QL-002



SIZE	OD	T	A	I	R
1/4"	6.35	0.89/1.0	49.0	29.0	20.0
3/8"	9.53	0.89/1.0	52.0	29.0	23.0
1/2"	12.70	1.24/1.0	54.0	29.0	25.0
5/8"	15.88	1.24/1.65	64.0	36.0	28.0
3/4"	19.05	1.65/1.24	66.0	36.0	30.0
1"	25.40	1.65/1.24	69.0	36.0	33.0
1 1/4"	31.75	1.65	84.0	36.0	47.6
1 1/2"	38.10	1.65	104.0	46.0	57.2
2"	50.80	1.65	123.0	46.0	76.2
2 1/2"	63.50	1.65	147.0	51.0	95.3
3"	76.20	1.65	147.0	51.0	95.3
4"	101.60	2.11	185.0	51.0	133.4
5"	127.00	2.11	250.0	56.0	190.5
6"	152.40	2.77	290.0	61.4	228.6

等径长三通 Equal Tee

BA No. QL-004



SIZE	OD	T	L	A
1/4"	6.35	0.89/1.0	35.0	35.0
3/8"	9.53	0.89/1.0	37.0	37.0
1/2"	12.70	1.24/1.0	39.0	39.0
5/8"	15.88	1.24/1.65	49.0	49.0
3/4"	19.05	1.65/1.24	52.0	52.0
1"	25.40	1.65/1.24	55.0	55.0
1 1/4"	31.75	1.65	59.0	59.0
1 1/2"	38.10	1.65	74.0	74.0
2"	50.80	1.65	77.0	77.0
2 1/2"	63.50	1.65	90.0	90.0
3"	76.20	1.65	97.0	97.0
4"	101.60	2.11	110.0	110.0
5"	127.00	2.11	140.0	140.0
6"	152.40	2.77	160.0	160.0

变径长三通 Reducing Tee

BA No. QL-005

变径长三通 Reducing Tee

BA No. QL-006




SIZE	OD1xT1	OD2xT2	L	A
3/8"x1/4"	9.53x0.89/1.0	6.35x0.89/1.0	37	37
1/2"x1/4"	12.7x1.24/1.0	6.35x0.89/1.0	39	39
1/2"x3/8"	12.7x1.24/1.0	9.53x0.89/1.0	39	39
3/4"x1/4"	19.05x1.65/1.24	6.35x0.89/1.0	47	44
3/4"x3/8"	19.05x1.65/1.24	9.53x0.89/1.0	47	44
3/4"x1/2"	19.05x1.65/1.24	12.7x1.24/1.0	47	44
1"x1/4"	25.4x1.65/1.24	6.35x0.89/1.0	47	47
1"x3/8"	25.4x1.65/1.24	9.53x0.89/1.0	47	47
1"x1/2"	25.4x1.65/1.24	12.7x1.24/1.0	47	47
1"x3/4"	25.4x1.65/1.24	19.05x1.65/1.0	55	55
1 1/2"x1/2"	38.1x1.65	12.7x1.24/1.0	57	54
1 1/2"x3/4"	38.1x1.65	19.05x1.65/1.24	68	62
1 1/2"x1"	38.1x1.65	25.4x1.65/1.24	68	62
2"x1/2"	50.8x1.65	12.7x1.24/1.0	57	57
2"x3/4"	50.8x1.65	19.05x1.65/1.24	68	65
2"x1"	50.8x1.65	25.4x1.65/1.24	68	65
2"x1 1/2"	50.8x1.65	38.1x1.65	77	77
2 1/2"x1/2"	63.5x1.65	12.7x1.24/1.0	61	63
2 1/2"x3/4"	63.5x1.65	19.05x1.65/1.24	72	71
2 1/2"x1"	63.5x1.65	25.4x1.65/1.24	72	71
2 1/2"x1 1/2"	63.5x1.65	38.1x1.65	90	83
2 1/2"x2"	63.5x1.65	50.8x1.65	90	83
3"x1/2"	76.2x1.65	12.7x1.24/1.0	61	71
3"x3/4"	76.2x1.65	19.05x1.65/1.24	72	79
3"x1"	76.2x1.65	25.4x1.65/1.24	72	79
3"x1 1/2"	76.2x1.65	38.1x1.65	90	90
3"x2"	76.2x1.65	50.8x1.65	90	90
3"x2 1/2"	76.2x1.65	63.5x1.65	97	97
4"x1/2"	101.6x2.11	12.7x1.24/1.0	61	87
4"x3/4"	101.6x2.11	19.05x1.65/1.24	72	95
4"x1"	101.6x2.11	25.4x1.65/1.24	72	95
4"x1 1/2"	101.6x2.11	38.1x1.65	90	105
4"x2"	101.6x2.11	50.8x1.65	90	105
4"x2 1/2"	101.6x2.11	63.5x1.65	110	110
4"x3"	101.6x2.11	76.2x1.65	110	110
6"x4"	152.4x2.77	101.6x2.11	140	145



OD1	OD2	L	A
3/8"(9.53)	1/4"	37	37
1/2"(12.7)	3/8", 1/4"	39	39
3/4"(19.05)	1/2", 3/8", 1/4", 8A	47	44
	5/8", 10A	52	52
1"(25.4)	1/2", 3/8", 1/4", 8A	47	47
	3/4", 5/8", 15A, 10A	55	55
1 1/4"(31.75)	1/2", 3/8", 1/4", 8A	47	50
	1", 3/4", 5/8", 20A, 15A, 10A	59	59
1 1/2"(38.1)	1/2", 3/8", 1/4", 8A	57	54
	1 1/4", 1", 3/4", 5/8"	68	62
2"(50.8)	25A, 20A, 15A, 10A	68	62
	1/2", 3/8", 1/4", 8A	57	57
	1 1/4", 1", 3/4", 5/8"	68	65
	25A, 20A, 15A, 10A	68	65
2 1/2"(63.5)	1 1/2", 40A, 32A	77	77
	1/2", 3/8", 1/4", 8A	61	63
	1 1/4", 1", 3/4", 5/8"	72	71
	25A, 20A, 15A, 10A	72	71
3"(76.2)	2", 1 1/2", 50A, 40A, 32A	90	83
	1/2", 3/8", 1/4", 8A	60	71
	1 1/4", 1", 3/4", 5/8"	72	79
	25A, 20A, 15A, 10A	72	79
4"(101.6)	2", 1 1/2", 50A, 40A, 32A	90	90
	2 1/2", 65A	97	97
	1/2", 3/8", 1/4", 8A	61	87
	1 1/4", 1", 3/4", 5/8"	72	95
5"(127.0)	25A, 20A, 15A, 10A	72	95
	2", 1 1/2", 50A, 40A, 32A	90	105
	3", 2 1/2", 80A, 65A	110	110
	1/2", 3/8", 1/4", 8A	70	100
6"(152.4)	1 1/4", 1", 3/4", 5/8"	90	110
	25A, 20A, 15A, 10A	90	110
	2", 1 1/2", 50A, 40A, 32A	110	120
	4", 3", 2 1/2", 80A, 65A	140	140
	1/2", 3/8", 1/4", 8A	80	125
	1 1/4", 1", 3/4", 5/8"	100	125
	25A, 20A, 15A, 10A	100	125
	2", 1 1/2", 50A, 40A, 32A	120	135
	4", 3", 2 1/2", 100A, 80A, 65A	140	145

加长变径 Reducer


BA No. QL-007

加长同心变径
Concentric Reducer加长偏心变径
Eccentric Reducer

SIZE	OD1xT1	OD2xT2	L	L1	L2
3/8"x1/4"	9.53x0.89/1.0	6.35x0.89/1.0	70	29	29
1/2"x1/4"	12.7x1.24/1.0	6.35x0.89/1.0	75	29	29
1/2"x3/8"	12.7x1.24/1.0	9.53x0.89/1.0	75	29	29
3/4"x1/4"	19.05x1.65/1.24	6.35x0.89/1.0	100	36	29
3/4"x3/8"	19.05x1.65/1.24	9.53x0.89/1.0	100	36	29
3/4"x1/2"	19.05x1.65/1.24	12.7x1.24/1.0	100	36	29
1"x1/4"	25.4x1.65/1.24	6.35x0.89/1.0	105	36	29
1"x3/8"	25.4x1.65/1.24	9.53x0.89/1.0	105	36	29
1"x1/2"	25.4x1.65/1.24	12.7x1.24/1.0	105	36	29
1"x3/4"	25.4x1.65/1.24	19.05x1.65/1.0	105	36	36
1 1/2"x1/4"	38.1x1.65	6.35x0.89/1.0	125	46	29
1 1/2"x3/8"	38.1x1.65	9.53x0.89/1.0	125	46	29
1 1/2"x1/2"	38.1x1.65	12.7x1.24/1.0	125	46	29
1 1/2"x3/4"	38.1x1.65	19.05x1.65/1.24	125	46	36
1 1/2"x1"	38.1x1.65	25.4x1.65/1.24	125	46	36
2"x1/4"	50.8x1.65	6.35x0.89/1.0	130	46	29
2"x3/8"	50.8x1.65	9.53x0.89/1.0	130	46	29
2"x1/2"	50.8x1.65	12.7x1.24/1.0	130	46	29
2"x3/4"	50.8x1.65	19.05x1.65/1.24	130	46	36
2"x1"	50.8x1.65	25.4x1.65/1.24	130	46	36
2"x1 1/2"	50.8x1.65	38.1x1.65	130	46	46
3"x1/2"	76.2x1.65	12.7x1.24/1.0	165	51	29
3"x3/4"	76.2x1.65	19.05x1.65/1.24	165	51	36
3"x1"	76.2x1.65	25.4x1.65/1.24	165	51	36
3"x1 1/2"	76.2x1.65	38.1x1.65	165	51	46
3"x2"	76.2x1.65	50.8x1.65	165	51	46
4"x3/4"	101.6x2.11	19.05x1.65/1.24	175	51	36
4"x1"	101.6x2.11	25.4x1.65/1.24	175	51	36
4"x1 1/2"	101.6x2.11	38.1x1.65	175	51	46
4"x2"	101.6x2.11	50.8x1.65	175	51	46
4"x2 1/2"	101.6x2.11	63.50x1.65	175	51	51
4"x3"	101.6x2.11	76.2x1.65	175	51	51
5"x1/2"	127.0x2.11	12.7x1.24/1.0	230	56	29
5"x3/4"	127.0x2.11	19.05x1.65/1.24	230	56	36
5"x1"	127.0x2.11	25.4x1.65/1.24	230	56	36
5"x1 1/2"	127.0x2.11	38.1x1.65	230	56	46
5"x2"	127.0x2.11	50.8x1.65	230	56	46
5"x2 1/2"	127.0x2.11	63.50x1.65	230	56	51
5"x3"	127.0x2.11	76.2x1.65	230	56	51
5"x4"	127.0x2.11	101.6x2.11	230	56	51
6"x1/2"	152.40x2.77	12.7x1.24/1.0	250	62	29
6"x3/4"	152.40x2.77	19.05x1.65/1.24	250	62	36
6"x1"	152.40x2.77	25.4x1.65/1.24	250	62	36
6"x1 1/2"	152.40x2.77	38.1x1.65	250	62	46
6"x2"	152.40x2.77	50.8x1.65	250	62	46
6"x2 1/2"	152.40x2.77	63.50x1.65	250	62	51
6"x3"	152.40x2.77	76.2x1.65	250	62	51
6"x4"	152.40x2.77	101.6x2.11	250	62	51
6"x5"	152.40x2.77	127.0x2.11	250	62	56

盖形变径 Cap Reducer

BA No. QL-008




OD1	OD2	L	A
3/4"	1/4"~1/2", 8A	19.1	54
	10A	19.1	60
1"	1/4"~1/2", 8A	25.4	60
	3/4", 10A~15A	25.4	67
1 1/4"	1/4"~1/2", 8A	38.1	73
	3/4"~1", 10A~20A	38.1	80
1 1/2"	1/4"~1/2", 8A	38.1	73
	3/4"~1 1/4", 10A~25A	38.1	80
2"	1/4"~1/2", 8A	38.1	73
	3/4"~1 1/4", 10A~25A	38.1	80
	1 1/2", 32A~40A	38.1	90
2 1/2"	1/4"~1/2", 8A	38.1	73
	3/4"~1 1/4", 10A~25A	38.1	80
	1 1/2"~2", 32A~50A	38.1	90
3"	1/4"~1/2", 8A	38.1	73
	3/4"~1 1/4", 10A~25A	38.1	80
	1 1/2"~2", 32A~50A	38.1	90
	2 1/2"	38.1	95
4"	1/4"~1/2", 8A	63.5	98
	3/4"~1 1/4", 10A~25A	63.5	105
	1 1/2"~2", 32A~50A	63.5	115
	2 1/2"~3", 65A, 89A	63.5	125

钢管 Steel pipe

 Spec: g3459
 Material: 304L/316L
 Surface Finish: AP/BA/MP/EP

JIS No.QL-001



SIZE	OD	A	T(5S/10S)	Kg/m
8A	13.8	4000	1.2/1.65	0.38/0.50
10A	17.3	4000	1.2/1.65	0.48/0.64
15A	21.7	6000	1.65/2.1	0.82/1.02
20A	27.2	6000	1.65/2.1	1.05/1.31
25A	34.0	6000	1.65/2.8	1.32/2.17
32A	42.7	6000	1.65/2.8	1.68/2.77
40A	48.6	6000	1.65/2.8	1.92/3.18
50A	60.5	6000	1.65/2.8	2.41/4.01
65A	76.3	6000	2.1/3.0	3.87/5.46
80A	89.1	6000	2.1/3.0	4.53/6.41
90A	101.6	6000	2.1/3.0	5.19/7.34
100A	114.3	6000	2.1/3.0	5.85/8.29

90°长弯头 90°Elbow

JIS No.QL-002



SIZE	OD	T	A	I	R
8A	13.8	1.2	55	29.0	25.4
10A	17.3	1.2	62	36.0	25.4
15A	21.7	1.65	75	36.0	38.1
20A	27.2	1.65	75	36.0	38.1
25A	34.0	1.65	75	36.0	38.1
32A	42.7	1.65	94	46.0	47.6
40A	48.6	1.65	104	46.0	57.2
50A	60.5	1.65	123	46.0	76.2
65A	76.3	2.1	147	51.0	95.3
80A	89.1	2.1	166	51.0	114.3
100A	114.3	2.1	204	51.0	152.4

45°长弯头 45°Elbow


JIS No.QL-003



SIZE	OD	T	A	I	R
8A	13.8	1.2	40	29	25.4
10A	17.3	1.2	47	29	25.4
15A	21.7	1.65	52	29	38.1
20A	27.2	1.65	52	36	38.1
25A	34.0	1.65	52	36	38.1
32A	42.7	1.65	66	36	47.6
40A	48.6	1.65	70	36	57.2
50A	60.5	1.65	78	46	76.2
65A	76.3	2.1	91	46	95.3
80A	89.1	2.1	99	51	114.3
100A	114.3	2.1	115	51	152.4

变径长三通 Reducing Tee

JIS No.QL-004



SIZE	OD1xT1	OD2xT2	L	A
10Ax8A	17.3x1.20	13.8x1.20	47	44
15Ax8A	21.7x1.65	13.8x1.20	47	44
15Ax10A	21.7x1.65	17.3x1.20	52	52
20Ax8A	27.2x1.65	13.8x1.20	47	47
20Ax10A	27.2x1.65	17.3x1.20	55	55
20Ax15A	27.2x1.65	21.7x1.65	55	55
25Ax8A	34.0x1.65	13.8x1.20	47	50
25Ax10A	34.0x1.65	17.3x1.20	59	59
25Ax15A	34.0x1.65	21.7x1.65	59	59
25Ax20A	34.0x1.65	27.2x1.65	59	59
32Ax8A	42.7x1.65	13.8x1.20	57	54
32Ax10A	42.7x1.65	17.3x1.20	68	62
32Ax15A	42.7x1.65	21.7x1.65	68	62
32Ax20A	42.7x1.65	27.2x1.65	68	62
32Ax25A	42.7x1.65	34.0x1.65	68	62
40Ax8A	48.6x1.65	13.8x1.20	57	57
40Ax10A	48.6x1.65	17.3x1.20	68	65
40Ax15A	48.6x1.65	21.7x1.65	68	65
40Ax20A	48.6x1.65	27.2x1.65	68	65
40Ax25A	48.6x1.65	34.0x1.65	68	65
40Ax32A	48.6x1.65	42.7x1.65	77	77
50Ax8A	60.5x1.65	13.8x1.20	57	63
50Ax10A	60.5x1.65	17.3x1.20	68	71
50Ax15A	60.5x1.65	21.7x1.65	68	71
50Ax20A	60.5x1.65	27.2x1.65	68	71
50Ax25A	60.5x1.65	34.0x1.65	68	71
50Ax32A	60.5x1.65	42.7x1.65	83	83
50Ax40A	60.5x1.65	48.6x1.65	83	83
65Ax8A	76.3x2.1	13.8x1.20	61	71
65Ax10A	76.3x2.1	17.3x1.20	72	79
65Ax15A	76.3x2.1	21.7x1.65	72	79
65Ax20A	76.3x2.1	27.2x1.65	72	79
65Ax25A	76.3x2.1	34.0x1.65	72	79
65Ax32A	76.3x2.1	42.7x1.65	88	90
65Ax40A	76.3x2.1	48.6x1.65	88	90
65Ax50A	76.3x2.1	60.5x1.65	88	90
80Ax8A	89.1x2.1	13.8x1.20	61	77
80Ax10A	89.1x2.1	17.3x1.20	72	85
80Ax15A	89.1x2.1	21.7x1.65	72	85
80Ax20A	89.1x2.1	27.2x1.65	72	85
80Ax25A	89.1x2.1	34.0x1.65	72	85
80Ax32A	89.1x2.1	42.7x1.65	88	96
80Ax40A	89.1x2.1	48.6x1.65	88	96
80Ax50A	89.1x2.1	60.5x1.65	88	96
80Ax65A	89.1x2.1	76.3x1.65	103	103
100Ax8A	114.3x2.1	13.8x1.20	61	90
100Ax10A	114.3x2.1	17.3x1.20	72	98
100Ax15A	114.3x2.1	21.7x1.65	72	98
100Ax20A	114.3x2.1	27.2x1.65	72	98
100Ax25A	114.3x2.1	34.0x1.65	72	98
100Ax32A	114.3x2.1	42.7x1.65	88	109
100Ax40A	114.3x2.1	48.6x1.65	88	109
100Ax50A	114.3x2.1	60.5x1.65	88	109
100Ax65A	114.3x2.1	76.3x2.1	116	116
100Ax80A	114.3x2.1	89.1x2.1	116	116

变径三通 Reducing Tee

JIS No.QL-005

OD1	OD2	L	A
8A(13.8)	1/2"~1/4"	42	42
10A(17.3)	1/2"~1/4",8A	47	44
15A(21.7)	1/2"~1/4",8A 3/4",5/8",10A	47 52	44 52
20A(27.2)	1/2"~1/4",8A 1",3/4",5/8",15A,10A	47 55	47 55
25A(34.0)	1/2"~1/4",8A 1 1/4",1",3/4",5/8",20A~10A	47 59	50 59
32A(42.7)	1/2"~1/4",8A 1 1/4",1",3/4",5/8",25A~10A	57 68	54 62
40A(48.6)	1/2"~1/4",8A 1 1/4",1",3/4",5/8",25A~10A 1 1/2",32A	57 68 77	57 65 77
50A(60.5)	1/2"~1/4",8A 1 1/4",1",3/4",5/8",25A~10A 2",1 1/2",40A,32A	57 68 83	63 71 83
65A(76.3)	1/2"~1/4",8A 1 1/4",1",3/4",5/8",25A~10A 2",1 1/2",50A,40A,32A 2 1/2"	61 72 88 97	71 79 90 97
80A(89.1)	1/2"~1/4",8A 1 1/4",1",3/4",5/8",25A~10A 2",1 1/2",50A,40A,32A 3",2 1/2",65A	61 72 88 103	77 85 96 103
100A(114.3)	1/2"~1/4",8A 1 1/4",1",3/4",5/8",25A~10A 2",1 1/2",50A,40A,32A 4",3",2 1/2",80A,65A	61 72 88 116	90 98 109 116

等径三通 Equal Tee

JIS No.QL-006


SIZE	OD	T	L	A
8A	13.8	1.2	42	42
10A	17.3	1.2	49	49
15A	21.7	1.65	59	59
20A	27.2	1.65	65	65
25A	34.0	1.65	68	68
32A	42.7	1.65	88	88
40A	48.6	1.65	95	95
50A	60.5	1.65	102	102
65A	76.3	2.10	121	121
80A	89.1	2.10	130	130
100A	114.3	2.10	145	145

管帽 Welding Cap

JIS No.QL-007

SIZE	OD	T	L
8A	13.8	1.2	12.7
10A	17.3	1.2	19.1
15A	21.7	1.65	25.4
20A	27.2	1.65	25.4
25A	34.0	1.65	38.1
32A	42.7	1.65	38.1
40A	48.6	1.65	38.1
50A	60.5	1.65	38.1
65A	76.3	2.10	38.1
80A	89.1	2.10	50.8
100A	114.3	2.10	63.5


SIZE	OD1xT1	OD2xT2	L	L1	L2
10Ax8A	17.3x1.20	13.8x1.20	90	36	29
15Ax8A	21.7x1.65	13.8x1.20	100	36	29
15Ax10A	21.7x1.65	17.3x1.20	100	36	36
20Ax8A	27.2x1.65	13.8x1.20	105	36	29
20Ax10A	27.2x1.65	17.3x1.20	105	36	36
20Ax15A	27.2x1.65	21.7x1.65	105	36	36
25Ax8A	34.0x1.65	13.8x1.20	120	36	29
25Ax10A	34.0x1.65	17.3x1.20	120	36	36
25Ax15A	34.0x1.65	21.7x1.65	120	36	36
25Ax20A	34.0x1.65	27.2x1.65	120	36	36
32Ax8A	42.7x1.65	13.8x1.20	125	46	29
32Ax10A	42.7x1.65	17.3x1.20	125	46	36
32Ax15A	42.7x1.65	21.7x1.65	125	46	36
32Ax20A	42.7x1.65	27.2x1.65	125	46	36
32Ax25A	42.7x1.65	34.0x1.65	125	46	36
40Ax8A	48.6x1.65	13.8x1.20	130	46	29
40Ax10A	48.6x1.65	17.3x1.20	130	46	36
40Ax15A	48.6x1.65	21.7x1.65	130	46	36
40Ax20A	48.6x1.65	27.2x1.65	130	46	36
40Ax25A	48.6x1.65	34.0x1.65	130	46	36
40Ax32A	48.6x1.65	42.7x1.65	130	46	46
50Ax8A	60.5x1.65	13.8x1.20	140	46	29
50Ax10A	60.5x1.65	17.3x1.20	140	46	36
50Ax15A	60.5x1.65	21.7x1.65	140	46	36
50Ax20A	60.5x1.65	27.2x1.65	140	46	36
50Ax25A	60.5x1.65	34.0x1.65	140	46	36
50Ax32A	60.5x1.65	42.7x1.65	140	46	46
50Ax40A	60.5x1.65	48.6x1.65	140	46	46
65Ax8A	76.3x2.1	13.8x1.20	165	51	29
65Ax10A	76.3x2.1	17.3x1.20	165	51	36
65Ax15A	76.3x2.1	21.7x1.65	165	51	36
65Ax20A	76.3x2.1	27.2x1.65	165	51	36
65Ax25A	76.3x2.1	34.0x1.65	165	51	36
65Ax32A	76.3x2.1	42.7x1.65	165	51	46
65Ax40A	76.3x2.1	48.6x1.65	165	51	46
65Ax50A	76.3x2.1	60.5x1.65	165	51	46
80Ax8A	89.1x2.1	13.8x1.20	170	51	29
80Ax10A	89.1x2.1	17.3x1.20	170	51	36
80Ax15A	89.1x2.1	21.7x1.65	170	51	36
80Ax20A	89.1x2.1	27.2x1.65	170	51	36
80Ax25A	89.1x2.1	34.0x1.65	170	51	36
80Ax32A	89.1x2.1	42.7x1.65	170	51	46
80Ax40A	89.1x2.1	48.6x1.65	170	51	46
80Ax50A	89.1x2.1	60.5x1.65	170	51	46
80Ax65A	89.1x2.1	76.3x2.1	170	51	51
100Ax10A	114.3x2.1	17.3x1.20	180	51	36
100Ax15A	114.3x2.1	21.7x1.65	180	51	36
100Ax20A	114.3x2.1	27.2x1.65	180	51	36
100Ax25A	114.3x2.1	34.0x1.65	180	51	36




OD1	OD2
15A	1/4"~1/2", 8A 3/4", 10A
20A	1/4"~1/2", 8A 3/4", 1", 10A~15A
25A	1/4"~1/2", 8A 3/4"~1 1/4", 10A~20A
32A	1/4"~1/2", 8A 3/4"~1 1/4", 10A~25A
40A	1/4"~1/2", 8A 3/4"~1 1/4", 10A~25A 1 1/2", 32A
50A	1/4"~1/2", 8A 3/4"~1 1/4", 10A~25A 1 1/2"~2", 32A~50A
65A	1/4"~1/2", 8A 3/4"~1 1/4", 10A~25A 1 1/2"~2", 32A~50A 2 1/2"
80A	1/4"~1/2", 8A 3/4"~1 1/4", 10A~25A 1 1/2"~2", 32A~50A 2 1/2"~3", 65A



卫生级管件 Sanitary pipe fitting



45°弯头 45°Elbow



90°弯头 90°Elbow



180°弯头 180°Elbow

F 卫生级管件系列 Sanitary pipe fittings series

对焊弯头 GB12459-90、GB/T13401 Butt Weld Elbow

公称通径 Nominal pipe size DN	端部外径 Outside diameter at bevel D		中心至端面 Center to end			中心至中心 Center to center		背面至端面 Back to faces	
			45°弯头 Elbow	90°弯头 Elbow		180°弯头 Elbow		180°弯头 Elbow	
	A系列 Series A	B系列 Series B	H	F		P		K	
			长半径 Long radius	长半径 Long radius	短半径 Long radius	长半径 Long radius	短半径 Long radius	长半径 Long radius	短半径 Long radius
DN 15	21.3	18	16	38	-	76	-	48	-
DN 20	26.9	25	16	38	-	76	-	51	-
DN 25	33.7	32	16	38	25	76	51	56	41
DN 32	42.4	38	20	48	32	95	64	70	52
DN 40	48.3	45	24	57	38	114	76	83	62
DN 50	60.3	57	32	76	51	152	102	106	81
DN 65	76.1(73)	76	40	95	64	191	127	132	100
DN 80	88.9	89	47	114	76	229	152	159	121
DN 90	101.6	-	55	133	89	267	178	184	140
DN 100	114.3	108	63	152	102	305	203	210	159
DN 125	139.7	133	79	190	127	381	254	262	197
DN 150	168.3	159	95	229	152	457	305	313	237
DN 200	219.1	219	126	305	203	610	406	414	313
DN 250	273	273	158	381	254	762	508	518	391
DN 300	323.9	325	189	457	305	914	610	619	467
DN 350	335.6	337	221	533	356	1067	711	711	533
DN 400	406.4	426	253	610	496	1219	813	813	610
DN 450	457.2	478	284	686	457	1372	914	914	686
DN 500	508	529	316	762	508	1524	1016	1016	762
DN 550	559	-	347	838	559				
DN 600	610	630	379	914	610				
DN 650	660	-	410	991	660				
DN 700	711	720	442	1067	711				
DN 750	762	-	473	1143	762				
DN 800	813	820	505	1219	813				
DN 850	864	-	537	1295	854				
DN 900	914	920	568	1372	914				
DN 950	965	-	600	1448	955				
DN 1000	1016	1020	631	1524	1016				
DN 1050	1067	-	663	1600	1067				
DN 1100	1118	1120	694	1676	1118				
DN 1150	1168	-	726	1753	1168				
DN 1200	1220	1220	758	1829	1219				

注:
(1) 尽可能不采用括号内的数值
(2) 优先选用A系列

Note:
(1) Try not to use the values in parentheses as much as possible
(2) A series is preferred



中国·齐力控股集团有限公司
CHINA·QILI HOLDING GROUP CO., LTD.

安徽齐力不锈钢制品有限公司
ANHUI QILI STAINLESS STEEL PRODUCTS CO., LTD.

安徽齐力金属制品有限公司
ANHUI QILI METAL PRODUCTS CO., LTD.

中国 CHINA

集团总部: 中国浙江省温州市滨海开发区滨海三路3839-1
生产基地: 安徽省怀宁经济技术开发区兴业路1号
锻造冲板基地: 安徽省怀宁经济开发区独秀大道32号
电话: +86-577-86990175
传真: +86-577-86990176
邮箱: sales@wzqlqjx.cn
网址: www.cnqlgroup.com www.cnqlstainless.com



小程序/Applets



国内官网/Website

国际 INTERNATIONAL

Headquarters: 3839-1 Binhai 3rd Road, Binhai Development Zone, Wenzhou, Zhejiang Province, China
Mass Production Factory: No. 1 Xingye Road, Huaining Economic Development Zone, Anhui Province
Forging & Punching Factory: No. 32 Duxiu Avenue, Huaining Economic Development Zone, Anhui Province
Tel: +86-577-86990175
Fax: +86-577-86990176
E-mail: sales@wzqlqjx.cn
Http: www.qilistainless.com www.sanitary-valve-fittings.com



国际官网/Website