



中国·齐力控股集团有限公司
CHINA·QILI HOLDING GROUP CO., LTD.
安徽齐力不锈钢制品有限公司
ANHUI QILI STAINLESS STEEL PRODUCTS CO., LTD.
安徽齐力金属制品有限公司
ANHUI QILI METAL PRODUCTS CO., LTD.

中国 CHINA

集团总部: 中国浙江省温州市滨海开发区滨海三路3839-1
生产基地: 安徽省怀宁经济技术开发区兴业路1号
锻造中板基地: 安徽省怀宁经济开发区独秀大道32号
电话: +86-577-86990175
传真: +86-577-86990176
邮箱: sales@wzqlqjx.cn
网址: www.cnqlgroup.com www.cnqlstainless.com



小程序/Applets



国内官网/Website

国际 INTERNATIONAL

Headquarters: 3839-1 Binhai 3rd Road, Binhai Development Zone, Wenzhou, Zhejiang Province, China
Mass Production Factory: No. 1 Xingye Road, Huaining Economic Development Zone, Anhui Province
Forging & Punching Factory: No. 32 Duxiu Avenue, Huaining Economic Development Zone, Anhui Province
Tel: +86-577-86990175
Fax: +86-577-86990176
E-mail: sales@wzqlqjx.cn
Http: www.qlstainless.com www.sanitary-valve-fittings.com



国际官网/Website

中国·齐力控股集团
CHINA·QILI HOLDING GROUP



PROFESSIONAL MANUFACTURER OF
SANITARY FLUID VALVE & PIPE FITTING SOLUTIONS


高洁净流体设备阀门及管道连接部件
解决方案一站式专业制造商

BPE系列
BPE SERIES



长型焊接式弯头 45° Long Welded Elbow 45°


BPE No.QL-001



SIZE	A	R	L1	T
1/2"	12.7	19.1	57.2	1.65
3/4"	19.05	28.6	57.2	1.65
1"	25.4	38.1	57.2	1.65
1 1/2"	38.1	57.2	63.5	1.65
2"	50.8	76.2	76.2	1.65
2 1/2"	63.5	95.3	85.7	1.65
3"	76.2	114.3	92.1	1.65
4"	101.6	152.4	114.3	2.11
6"	152.4	288.6	158.8	2.77

BPE管道 BPE Tube


BPE No.QL-002



规格尺寸 OD		壁厚 T		重量 kg
英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	0.035	0.89	0.124
3/8"	9.53	0.035	0.89	0.197
1/2"	12.7	0.065	1.65	0.457
3/4"	19.05	0.065	1.65	0.720
1"	25.4	0.065	1.65	0.982
1 1/2"	38.1	0.065	1.65	1.508
2"	50.8	0.065	1.65	2.033
2 1/2"	63.5	0.065	1.65	2.558
3"	76.2	0.065	1.65	3.084
4"	101.6	0.083	2.11	5.263
6"	152.4	0.109	2.77	10.39

90°长弯头 90-deg Long elbow


BPE No.QL-003



规格尺寸 OD		A		R		重量 kg
英寸 Inch	mm	英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	2.625	66.68	0.563	14.3	0.010
3/8"	9.53	2.625	66.68	1.125	28.58	0.016
1/2"	12.7	3.000	76.2	1.125	28.58	0.064
3/4"	19.05	3.000	76.2	1.125	28.58	0.101
1"	25.4	3.000	76.2	1.500	38.1	0.133
1 1/2"	38.1	3.750	95.25	2.250	57.15	0.247
2"	50.8	4.750	120.65	3.000	76.2	0.461
2 1/2"	63.5	5.500	139.7	3.750	95.25	0.600
3"	76.2	6.250	158.75	4.500	114.3	0.815
4"	101.6	8.000	203.2	6.000	152.4	1.790
6"	152.4	11.500	292.1	9.000	228.6	4.930

90°卡焊式长弯头 90-deg clamp long elbow


BPE No.QL-004



规格尺寸 OD		A		B		重量 kg
英寸 Inch	mm	英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	1.625	41.28	2.625	66.68	0.035
3/8"	9.53	1.625	41.26	2.625	66.68	0.038
1/2"	12.7	1.625	41.28	3.000	76.2	0.071
3/4"	19.05	1.625	41.28	3.000	76.2	0.094
1"	25.4	2.000	50.8	3.000	76.2	0.166
1 1/2"	38.1	2.750	69.85	3.750	95.25	0.230
2"	50.8	3.500	88.9	4.750	120.65	0.441
2 1/2"	63.5	4.250	107.95	5.500	139.7	0.586
3"	76.2	5.000	127.0	6.250	158.75	0.848
4"	101.6	6.625	168.28	8.000	203.2	1.743
6"	152.4	10.500	266.7	11.500	292.1	4.840

90°卡式弯头 90° clamp Elbow


BPE No.QL-005



规格尺寸 OD		A		重量 kg
英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	1.625	41.28	0.040
3/8"	9.53	1.625	41.28	0.040
1/2"	12.7	1.625	41.28	0.048
3/4"	19.05	1.625	41.28	0.058
1"	25.4	2.000	50.8	0.128
1 1/2"	38.1	2.750	69.85	0.172
2"	50.8	3.500	88.9	0.350
2 1/2"	63.5	4.250	107.95	0.473
3"	76.2	5.000	127.0	0.711
4"	101.6	6.625	168.28	1.475
6"	152.4	10.500	266.7	4.180

45°长弯头 Weld 45-deg Elbow


BPE No.QL-006



规格尺寸 OD		A		R		重量 kg
英寸 Inch	mm	英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	2.000	50.8	0.563	14.3	0.009
3/8"	9.53	2.000	50.8	1.125	28.58	0.014
1/2"	12.7	2.250	57.15	1.125	28.58	0.055
3/4"	19.05	2.250	57.15	1.125	28.58	0.087
1"	25.4	2.250	57.15	1.500	38.1	0.103
1 1/2"	38.1	2.500	63.5	2.250	57.15	0.220
2"	50.8	3.000	76.2	3.000	76.2	0.300
2 1/2"	63.5	3.375	85.73	3.750	95.25	0.421
3"	76.2	3.625	92.08	4.500	114.3	0.550
4"	101.6	4.500	114.3	6.000	152.4	1.165
6"	152.4	6.250	158.75	9.000	228.6	3.130

45°卡焊式式长弯头 Weld/Clamp 45-deg Elbow


BPE No.QL-007



规格尺寸 OD		A		B		重量 kg
英寸 Inch	mm	英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	1.000	25.4	2.000	50.8	0.034
3/8"	9.53	1.000	25.4	2.000	50.8	0.036
1/2"	12.7	1.000	25.4	2.250	57.15	0.062
3/4"	19.05	1.000	25.4	2.250	57.15	0.080
1"	25.4	1.125	28.58	2.250	57.15	0.136
1 1/2"	38.1	1.438	36.53	2.500	63.5	0.203
2"	50.8	1.750	44.45	3.000	76.2	0.280
2 1/2"	63.5	2.063	52.4	3.375	85.73	0.407
3"	76.2	2.375	60.33	3.625	92.08	0.583
4"	101.6	3.125	79.38	4.500	114.3	1.118
6"	152.4	5.250	133.35	6.250	158.75	3.040

45°卡式弯头 Clamp 45-deg Elbow


BPE No.QL-008



规格尺寸 OD		A		重量 kg
英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	1.000	25.4	0.035
3/8"	9.53	1.000	25.4	0.035
1/2"	12.7	1.000	25.4	0.039
3/4"	19.05	1.000	25.4	0.044
1"	25.4	1.125	28.58	0.098
1 1/2"	38.1	1.438	36.53	0.145
2"	50.8	1.750	44.45	0.189
2 1/2"	63.5	2.063	52.4	0.294
3"	76.2	2.375	60.33	0.446
4"	101.6	3.125	79.38	0.850
6"	152.4	5.250	133.35	2.380

卡式等径三通 Clamp Tee


BPE No.QL-011



规格尺寸 OD		A		B		重量 kg
英寸 Inch	mm	英寸 Inch	mm	英寸 Inch	mm	
1/2"	12.7	2.375	60.33	1.000	25.4	0.133
3/4"	19.05	2.500	63.5	1.125	28.58	0.163
1"	25.4	2.625	66.68	1.125	28.58	0.313
1 1/2"	38.1	2.875	73.03	1.375	34.93	0.323
2"	50.8	3.375	85.73	1.625	41.28	0.533
2 1/2"	63.5	3.625	92.08	1.875	47.63	0.683
3"	76.2	3.875	98.43	2.125	53.98	1.093
4"	101.6	4.750	120.65	2.750	69.85	1.782
6"	152.4	7.125	180.98	4.625	117.48	4.711

等径三通 Weld equal Tee


BPE No.QL-009



规格尺寸 OD		A		重量 kg
英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	1.750	44.45	0.020
3/8"	9.53	1.750	44.45	0.030
1/2"	12.7	1.875	47.63	0.060
3/4"	19.05	2.000	50.8	0.100
1"	25.4	2.125	53.98	0.140
1 1/2"	38.1	2.375	60.33	0.260
2"	50.8	2.875	73.03	0.400
2 1/2"	63.5	3.125	79.38	0.560
3"	76.2	3.375	85.73	0.720
4"	101.6	4.125	104.78	1.390
6"	152.4	5.625	142.88	3.660

中卡式等径短三通 Weld/clamp Tee


BPE No.QL-012



规格尺寸 OD		A		B		重量 kg
英寸 Inch	mm	英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	1.750	44.45	1.000	25.4	0.064
3/8"	9.53	1.750	44.45	1.000	25.4	0.075
1/2"	12.7	1.875	47.63	1.000	25.4	0.055
3/4"	19.05	2.000	50.8	1.125	28.58	0.080
1"	25.4	2.125	53.98	1.125	28.58	0.130
1 1/2"	38.1	2.375	60.33	1.375	34.93	0.180
2"	50.8	2.875	73.03	1.625	41.28	0.300
2 1/2"	63.5	3.125	79.38	1.875	47.63	0.440
3"	76.2	3.375	85.73	2.125	53.98	0.790
4"	101.6	4.125	104.78	2.750	69.85	1.110
6"	152.4	5.625	142.88	4.625	117.48	3.140

卡式等径三通 Clamp equal Tee


BPE No.QL-010



规格尺寸 OD		A		重量 kg
英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	2.250	57.15	0.110
3/8"	9.53	2.250	57.15	0.120
1/2"	12.7	2.375	60.33	0.150
3/4"	19.05	2.500	63.5	0.190
1"	25.4	2.625	66.68	0.350
1 1/2"	38.1	2.875	73.03	0.380
2"	50.8	3.375	85.73	0.610
2 1/2"	63.5	3.625	92.08	0.860
3"	76.2	3.875	98.43	1.230
4"	101.6	4.750	120.65	2.050
6"	152.4	7.125	180.98	5.370

一端卡式等径短三通 Weld/clamp Tee


BPE No.QL-013



规格尺寸 OD		A		B		重量 kg
英寸 Inch	mm	英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	1.750	44.45	0.875	22.23	0.032
3/8"	9.53	1.750	44.45	0.875	22.23	0.035
1/2"	12.7	1.875	47.63	0.875	22.23	0.061
3/4"	19.05	2.000	50.8	1.000	25.4	0.112
1"	25.4	2.125	53.98	1.125	28.58	0.185
1 1/2"	38.1	2.375	60.33	1.375	34.93	0.262
2"	50.8	2.875	73.03	1.625	41.28	0.405
2 1/2"	63.5	3.125	79.38	1.875	47.63	0.579
3"	76.2	3.375	85.73	2.125	53.98	0.792
4"	101.6	4.125	104.78	2.750	69.85	1.426
6"	152.4	5.625	142.88	4.625	117.48	3.966

管帽 Weld end Cap


BPE No.QL-014



规格尺寸 OD		A		重量 kg
英寸 Inch	mm	英寸 Inch	mm	
1/2"	12.7	1.50	38.1	0.031
3/4"	19.05	1.50	38.1	0.037
1"	25.4	1.50	38.1	0.098
1 1/2"	38.1	1.50	38.1	0.092
2"	50.8	1.50	38.1	0.148
2 1/2"	63.5	1.50	38.1	0.194
3"	76.2	1.750	44.45	0.231
4"	101.6	2.00	50.8	0.389
6"	152.4	2.50	63.5	1.075

变径长三通 Weld long reducing Tee


BPE No.QL-017



规格尺寸 OD		A		B		重量 kg
英寸 Inch	OD1 x OD2	英寸 Inch	mm	英寸 Inch	mm	
3/8" x 1/4"	9.53 x 6.53	1.750	44.45	1.750	44.45	0.050
1/2" x 1/4"	12.7 x 6.53	1.875	47.63	1.875	47.63	0.056
x 3/8"	x 9.53	1.875	47.63	1.875	47.63	0.058
3/4" x 1/4"	19.05 x 6.53	2.00	50.8	2.000	50.8	0.065
x 3/8"	x 9.53	2.00	50.3	2.000	50.8	0.067
x 1/2"	x 12.7	2.00	50.8	2.000	50.8	0.070
1" x 1/4"	25.4 x 6.53	2.125	53.98	2.125	53.98	0.074
x 3/8"	x 9.53	2.125	53.98	2.125	53.98	0.076
x 1/2"	x 12.7	2.125	53.98	2.125	53.98	0.080
x 3/4"	x 19.05	2.125	53.98	2.125	53.98	0.090
1 1/2" x 1/2"	38.1 x 12.7	2.375	60.33	2.375	60.33	0.150
x 3/4"	x 19.05	2.375	60.33	2.375	60.33	0.170
x 1"	x 25.4	2.375	60.33	2.375	60.33	0.180
2" x 1/2"	50.8 x 12.7	2.875	73.03	2.625	66.68	0.250
x 3/4"	x 19.05	2.875	73.03	2.625	66.68	0.290
x 1"	x 25.4	2.875	73.03	2.625	66.68	0.320
x 1 1/2"	x 38.1	2.875	73.03	2.625	66.68	0.360
2 1/2" x 1/2"	63.5 x 12.7	3.125	79.38	2.875	73.03	0.360
x 3/4"	x 19.05	3.125	79.38	2.875	73.03	0.380
x 1"	x 25.4	3.125	79.38	2.875	73.03	0.400
x 1 1/2"	x 38.1	3.125	79.38	2.875	73.03	0.400

仪表三通 Instrument Tee


BPE No.QL-015



规格尺寸 OD		A		B		重量 kg
英寸 Inch	OD1 x OD2	英寸 Inch	mm	英寸 Inch	mm	
1/2" x 1 1/2"	12.7 x 38.1	2.50	63.5	0.875	22.23	0.301
3/4" x 1 1/2"	19.05 x 38.1	2.50	63.5	1.000	25.4	0.398
1" x 1 1/2"	25.4 x 38.1	2.50	63.5	1.125	28.58	0.470
1/2" x 2"	12.7 x 50.8	2.75	69.85	1.000	25.4	0.431
3/4" x 2"	19.05 x 50.8	2.75	69.85	1.125	28.58	0.529
1" x 2"	25.4 x 50.8	2.75	69.85	1.250	31.75	0.639
1 1/2" x 2"	38.1 x 50.8	2.75	69.85	1.500	38.1	0.798

卡式仪表三通 Clamp Instrument Tee


BPE No.QL-016



规格尺寸 OD		A		B		重量 kg
英寸 Inch	OD1 x OD2	英寸 Inch	mm	英寸 Inch	mm	
1/2" x 1 1/2"	12.7 x 38.1	3.000	76.2	0.875	22.23	0.333
3/4" x 1 1/2"	19.05 x 38.1	3.000	76.2	1.000	25.4	0.424
1" x 1 1/2"	25.4 x 38.1	3.000	76.2	1.125	28.58	0.604
1/2" x 2"	12.7 x 50.8	3.250	82.55	1.000	25.4	0.463
3/4" x 2"	19.05 x 50.8	3.250	82.55	1.125	28.58	0.555
1" x 2"	25.4 x 50.8	3.250	82.55	1.250	31.75	0.773
1 1/2" x 2"	38.1 x 50.8	3.250	82.55	1.500	38.1	0.882

变径长三通 Weld Reducing Tee

BPE No.QL-018




规格尺寸 OD		A		B		重量 kg
英寸 Inch	OD1 x OD2	英寸 Inch	mm	英寸 Inch	mm	
2 1/2" x 2"	63.5 x 50.8	3.125	79.38	2.875	73.03	0.530
3" x 1 1/2"	76.2 x 38.1	3.375	85.73	3.125	79.38	0.640
x 3/4"	x 19.05	3.375	85.73	3.125	79.38	0.650
x 1"	x 25.4	3.375	85.73	3.125	79.38	0.660
x 1 1/2"	x 38.1	3.375	85.73	3.125	79.38	0.680
x 2"	x 50.8	3.375	85.73	3.125	79.38	0.720
x 2 1/2"	x 63.5	3.375	85.73	3.125	79.38	0.740
4" x 1 1/2"	101.6 x 38.1	4.125	104.78	3.625	92.08	0.910
x 3/4"	x 19.05	4.125	104.78	3.625	92.08	0.920
x 1"	x 25.4	4.125	104.78	3.625	92.08	0.930
x 1 1/2"	x 38.1	4.125	104.78	3.625	92.08	0.950
x 2"	x 50.8	4.125	104.78	3.875	98.43	0.990
x 2 1/2"	x 63.5	4.125	104.78	3.875	98.43	1.010
x 3"	x 76.2	4.125	104.78	3.875	98.43	1.040
6" x 3"	152.4 x 76.2	5.625	142.88	4.875	123.83	2.850
x 4"	x 152.4	5.625	142.88	5.125	130.18	2.945



卡式变径三通 Clamp Reducing Tee


BPE No.QL-019



规格尺寸 OD			A		B		重量 kg
英寸 Inch	OD1 x OD2		英寸 Inch	mm	英寸 Inch	mm	
3/8" x 1/4"	9.53 x 6.53		2.250	57.15	2.250	57.15	0.120
1/2" x 1/4"	12.7 x 6.53		2.375	60.33	2.375	60.33	0.160
x 3/8"	x 9.53		2.375	60.33	2.375	60.33	0.160
3/4" x 1/4"	19.05 x 6.53		2.50	63.5	2.500	63.5	0.120
x 3/8"	x 9.53		2.50	63.5	2.500	63.5	0.130
x 1/2"	x 12.7		2.50	63.5	2.500	63.5	0.160
1" x 1/4"	25.4 x 6.53		2.625	66.68	2.625	66.68	0.260
x 3/8"	x 9.53		2.625	66.68	2.625	66.68	0.270
x 1/2"	x 12.7		2.625	66.68	2.625	66.68	0.270
x 3/4"	x 19.05		2.625	66.68	2.625	66.68	0.280
1 1/2" x 1/2"	38.1 x 12.7		2.875	73.03	2.875	73.03	0.30
x 3/4"	x 19.05		2.875	73.03	2.875	73.03	0.310
x 1"	x 25.4		2.875	73.03	2.875	73.03	0.370
2" x 1/2"	50.8 x 12.7		3.375	85.73	3.125	79.38	0.490
x 3/4"	x 19.05		3.375	85.73	3.125	79.38	0.490
x 1"	x 25.4		3.375	85.73	3.125	79.38	0.530
x 1 1/2"	x 38.1		3.375	85.73	3.125	79.38	0.540
2 1/2" x 1/2"	63.5 x 12.7		3.625	92.08	3.375	85.73	0.610
x 3/4"	x 19.05		3.625	92.08	3.375	85.73	0.610
x 1"	x 25.4		3.625	92.08	3.375	85.73	0.660
x 1 1/2"	x 38.1		3.625	92.08	3.375	85.73	0.640
2"	50.8		3.625	92.08	3.375	85.73	0.800

中卡式变径短三通 Weld/clamp reducing Tee


BPE No.QL-021



规格尺寸			A		B		重量 kg
英寸 Inch	OD1 x OD2		英寸 Inch	mm	英寸 Inch	mm	
3/8" x 1/4"	9.53 x 6.53		1.750	44.45	1.00	25.4	0.030
1/2" x 1/4"	12.7 x 6.53		1.875	47.63	1.00	25.4	0.040
x 3/8"	x 9.53		1.875	47.63	1.00	25.4	0.040
3/4" x 1/4"	19.05 x 6.53		2.00	50.8	1.00	25.4	0.090
x 3/8"	x 9.53		2.00	50.8	1.00	25.4	0.090
x 1/2"	x 12.7		2.00	50.8	1.00	25.4	0.090
1" x 1/4"	25.4 x 6.53		2.125	53.98	1.125	28.58	0.120
x 3/8"	x 9.53		2.125	53.98	1.125	28.58	0.120
x 1/2"	x 12.7		2.125	53.98	1.125	28.58	0.120
x 3/4"	x 19.05		2.125	53.98	1.125	28.58	0.120
1 1/2" x 1/2"	38.1 x 12.7		2.375	60.33	1.375	34.93	0.170
x 3/4"	x 19.05		2.375	60.33	1.375	34.93	0.170
x 1"	x 25.4		2.375	60.33	1.375	34.93	0.210
2" x 1/2"	50.8 x 12.7		2.875	73.03	1.625	41.28	0.240
x 3/4"	x 19.05		2.875	73.03	1.625	41.28	0.240
x 1"	x 25.4		2.875	73.03	1.625	41.28	0.290
x 1 1/2"	x 38.1		2.875	73.03	1.625	41.28	0.270
2 1/2" x 1/2"	63.5 x 12.7		3.125	79.38	1.875	47.63	0.350
x 3/4"	x 19.05		3.125	79.38	1.875	47.63	0.350
x 1"	x 25.4		3.125	79.38	1.875	47.63	0.400
x 1 1/2"	x 38.1		3.125	79.38	1.875	47.63	0.380
2"	50.8		3.125	79.38	1.875	47.63	0.410

卡式变径长三通 Clamp Reducing Tee


BPE No.QL-020



规格尺寸 OD			A		B		重量 kg
英寸 Inch	OD1 x OD2		英寸 Inch	mm	英寸 Inch	mm	
3" x 1/2"	76.2 x 12.7		3.875	98.43	3.625	92.08	1.030
x 3/4"	x 19.05		3.875	98.43	3.625	92.08	1.030
x 1"	x 25.4		3.875	98.43	3.625	92.08	1.080
x 1 1/2"	x 38.1		3.875	98.43	3.625	92.08	1.060
x 2"	x 50.8		3.875	98.43	3.625	92.08	1.130
x 2 1/2"	x 63.5		3.875	98.43	3.625	92.08	1.180
4" x 1/2"	101.6 x 12.7		4.750	120.65	4.125	104.78	1.460
x 3/4"	x 19.05		4.750	120.65	4.125	104.78	1.460
x 1"	x 25.4		4.750	120.65	4.125	104.78	1.510
x 1 1/2"	x 38.1		4.750	120.65	4.125	104.78	1.490
x 2"	x 50.8		4.750	120.65	4.375	111.13	1.500
x 2 1/2"	x 63.5		4.750	120.65	4.375	111.13	1.550
x 3"	x 76.2		4.750	120.65	4.375	111.13	1.650
6" x 3"	152.4 x 76.2		7.125	180.98	5.375	136.53	4.210
x 4"	x 101.6		7.125	180.98	5.750	146.05	4.463


中卡式变径短三通 Weld/clamp reducing Tee

BPE No.QL-022



卡式变径短三通 Clamp Reducing Tee

BPE No.QL-023




规格尺寸		A		B		重量 kg
英寸 Inch	OD1 x OD2	英寸 Inch	mm	英寸 Inch	mm	
3" x 1/2"	76.2 x 12.7	3.375	85.73	2.125	53.98	0.630
x 3/4"	x 19.05	3.375	85.73	2.125	53.98	0.630
x 1"	x 25.4	3.375	85.73	2.125	53.98	0.680
x 1 1/2"	x 38.1	3.375	85.73	2.125	53.98	0.660
x 2"	x 50.8	3.375	85.73	2.125	53.98	0.690
x 2 1/2"	x 63.5	3.375	85.73	2.125	53.98	0.720
4" x 1/2"	101.6 x 12.7	4.125	104.78	2.625	66.68	0.930
x 3/4"	x 19.05	4.125	104.78	2.625	66.68	0.930
x 1"	x 25.4	4.125	104.78	2.625	66.68	0.980
x 1 1/2"	x 38.1	4.125	104.78	2.625	66.68	0.950
x 2"	x 50.8	4.125	104.78	2.625	66.68	0.960
x 2 1/2"	x 63.5	4.125	104.78	2.625	66.68	0.990
x 3"	x 76.2	4.125	104.78	2.625	66.68	1.060
6" x 1/2"	152.4 x 12.7	5.625	142.88	3.625	92.08	2.790
x 3/4"	x 19.05	5.625	142.88	3.625	92.08	2.973
x 1"	x 25.4	5.625	142.88	3.625	92.08	3.002
x 1 1/2"	x 38.1	5.625	142.88	3.625	92.08	3.019
x 2"	x 50.8	5.625	142.88	3.625	92.08	3.028
x 2 1/2"	x 63.5	5.625	142.88	3.625	92.08	3.037
x 3"	x 76.2	5.625	142.88	3.625	92.08	3.056
x 4"	x 101.6	5.625	142.88	3.750	95.25	3.139

规格尺寸		A		B		重量 kg
英寸 Inch	OD1 x OD2	英寸 Inch	mm	英寸 Inch	mm	
3/8" x 1/4"	6.35 x 6.35	2.250	57.15	1.00	25.4	0.060
1/2" x 1/4"	9.53 x 6.35	2.375	60.33	1.00	25.4	0.090
x 3/8"	x 9.53	2.375	60.33	1.00	25.4	0.090
3/4" x 1/4"	19.05 x 6.35	2.50	63.5	1.00	25.4	0.120
x 3/8"	x 9.53	2.50	63.5	1.00	25.4	0.120
x 1/2"	x 12.7	2.50	63.5	1.00	25.4	0.120
1" x 1/4"	25.4 x 6.35	2.625	66.68	1.125	28.58	0.250
x 3/8"	x 9.53	2.625	66.68	1.125	28.58	0.250
x 1/2"	x 12.7	2.625	66.68	1.125	28.58	0.260
x 3/4"	x 19.05	2.625	66.68	1.125	28.58	0.260
1 1/2" x 1/2"	38.1 x 12.7	2.875	73.03	1.375	34.93	0.280
x 3/4"	x 19.05	2.875	73.03	1.375	34.93	0.280
x 1"	x 25.4	2.875	73.03	1.375	34.93	0.290
2" x 1/2"	50.8 x 12.7	3.375	85.73	1.625	41.28	0.380
x 3/4"	x 19.05	3.375	85.73	1.625	41.28	0.380
x 1"	x 25.4	3.375	85.73	1.625	41.28	0.430
x 1 1/2"	x 38.1	3.375	85.73	1.625	41.28	0.410
2 1/2" x 1/2"	63.5 x 12.7	3.625	92.08	1.875	47.63	0.550
x 3/4"	x 19.05	3.625	92.08	1.875	47.63	0.550
x 1"	x 25.4	3.625	92.08	1.875	47.63	0.590
x 1 1/2"	x 38.1	3.625	92.08	1.875	47.63	0.580
2" x 1/2"	x 50.4	3.625	92.08	1.875	47.63	0.610

卡式变径短三通 Clamp Reducing Tee


BPE No.QL-024



规格尺寸		A		B		重量 kg
英寸 Inch	OD1 x OD2	英寸 Inch	mm	英寸 Inch	mm	
3" x 1/2"	76.2 x 12.7	3.875	98.43	2.125	53.98	0.980
x 3/4"	x 19.05	3.875	98.43	2.125	53.98	0.980
x 1"	x 25.4	3.875	98.43	2.125	53.98	1.020
x 1 1/2"	x 38.1	3.875	98.43	2.125	53.98	1.000
x 2"	x 50.8	3.875	98.43	2.125	53.98	1.030
x 2 1/2"	x 63.5	3.875	98.43	2.125	53.98	1.060
4" x 1/2"	101.6 x 12.7	4.750	120.65	2.625	66.68	1.360
x 3/4"	x 19.05	4.750	120.65	2.625	66.68	1.360
x 1"	x 25.4	4.750	120.65	2.625	66.68	1.410
x 1 1/2"	x 38.1	4.750	120.65	2.625	66.68	1.390
x 2"	x 50.8	4.750	120.65	2.625	66.68	1.400
x 2 1/2"	x 63.5	4.750	120.65	2.625	66.68	1.430
x 3"	x 76.2	4.750	120.65	2.625	66.68	1.500
6" x 1/2"	152.4 x 12.7	7.125	180.98	3.625	92.08	4.133
x 3/4"	x 19.05	7.125	180.98	3.625	92.08	4.136
x 1"	x 25.4	7.125	180.98	3.625	92.08	4.152
x 1 1/2"	x 38.1	7.125	180.98	3.625	92.08	4.156
x 2"	x 50.8	7.125	180.98	3.625	92.08	4.157
x 2 1/2"	x 63.5	7.125	180.98	3.625	92.08	4.159
x 3"	x 76.2	7.125	180.98	3.625	92.08	4.188
x 4"	x 101.6	7.125	180.98	3.750	95.25	4.213

等径长四通 Weld long Cross


BPE No.QL-025



规格尺寸 OD		A		重量 kg
英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	1.750	44.45	0.025
3/8"	9.53	1.750	44.45	0.038
1/2"	12.7	1.875	47.63	0.079
3/4"	19.05	2.000	50.8	0.130
1"	25.4	2.125	53.98	0.181
1 1/2"	38.1	2.375	60.33	0.322
2"	50.8	2.875	73.03	0.497
2 1/2"	63.5	3.125	79.38	0.682
3"	76.2	3.375	85.73	0.867
4"	101.6	4.125	104.78	1.674
6"	152.4	5.625	142.88	4.353

卡式等径长四通 long clamp Cross


BPE No.QL-026



规格尺寸 OD		A		重量 kg
英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	2.250	57.15	0.145
3/8"	9.53	2.250	57.15	0.158
1/2"	12.7	2.375	60.33	0.199
3/4"	19.05	2.500	63.5	0.250
1"	25.4	2.625	66.68	0.461
1 1/2"	38.1	2.875	73.03	0.482
2"	50.8	3.375	85.73	0.777
2 1/2"	63.5	3.625	92.08	1.082
3"	76.2	3.875	98.43	1.547
4"	101.6	4.750	120.65	2.554
6"	152.4	7.125	180.98	6.633

加长同心变径 Weld concentric Reducer


BPE No.QL-027



规格尺寸		L		L1	L2
英寸 Inch	OD1 x OD2	英寸 Inch	mm	mm	mm
3/8" x 1/4"	9.53 x 6.35	1.625	41.28	9.53	22.23
1/2" x 1/4"	12.7 x 6.35	1.875	47.63	9.53	22.23
x 3/8"	x 9.53	1.875	47.63	9.53	22.23
3/4" x 3/8"	19.05 x 9.53	2.00	50.80	9.53	22.23
x 1/2"	x 12.7	2.125	53.98	9.53	28.58
1" x 1/2"	25.4 x 12.7	2.50	63.50	9.53	28.58
x 3/4"	x 19.05	2.125	53.98	9.53	28.58
1 1/2" x 3/4"	38.1 x 19.05	3.00	76.20	9.53	28.58
x 1"	x 25.4	2.50	63.50	9.53	28.58
2" x 1"	50.8 x 25.4	3.375	85.73	9.53	28.58
x 1 1/2"	x 38.1	2.50	63.50	9.53	28.58
2 1/2" x 1 1/2"	63.5 x 38.1	3.375	85.73	9.53	28.58
x 2"	x 50.8	2.50	63.50	9.53	28.58
3" x 1 1/2"	76.2 x 38.1	4.25	107.95	9.53	28.58
x 2"	x 50.8	3.375	85.73	9.53	28.58
x 2 1/2"	x 63.5	2.625	66.68	9.53	28.58
4" x 2"	101.6 x 50.8	5.125	130.18	9.53	28.58
x 2 1/2"	x 63.5	4.25	107.95	9.53	28.58
x 3"	x 76.2	3.875	98.43	9.53	41.28
6" x 3"	152.4 x 76.2	7.25	184.15	9.53	41.28
x 4"	x 101.6	5.625	142.88	9.53	41.28

大头卡式同心变径 Clamp/weld concentric reducer


BPE No.QL-028



规格尺寸		L		L1	L2
英寸 Inch	OD1 x OD2	英寸 Inch	mm	mm	mm
3/8" x 1/4"	9.53 x 6.35	2.215	53.98	9.53	22.23
1/2" x 1/4"	12.7 x 6.35	2.375	60.33	9.53	22.23
x 3/8"	x 9.53	2.375	60.33	9.53	22.23
3/4" x 3/8"	19.05 x 9.53	2.500	63.50	9.53	22.23
x 1/2"	x 12.7	2.625	66.68	9.53	28.58
1" x 1/2"	25.4 x 12.7	3.000	76.20	9.53	28.58
x 3/4"	x 19.05	2.625	66.68	9.53	28.58
1 1/2" x 3/4"	38.1 x 19.05	3.500	88.90	9.53	28.58
x 1"	x 25.4	3.000	76.20	9.53	28.58
2" x 1"	50.8 x 25.4	3.875	98.43	9.53	28.58
x 1 1/2"	x 38.1	3.000	76.20	9.53	28.58
2 1/2" x 1 1/2"	63.5 x 38.1	3.875	98.43	9.53	28.58
x 2"	x 50.8	3.000	76.20	9.53	28.58
3" x 1 1/2"	76.2 x 38.1	4.750	120.65	9.53	28.58
x 2"	x 50.8	3.875	98.43	9.53	28.58
x 2 1/2"	x 63.5	3.125	79.38	9.53	28.58
4" x 2"	101.6 x 50.8	5.750	146.05	9.53	28.58
x 2 1/2"	x 63.5	4.875	123.83	9.53	28.58
x 3"	x 76.2	4.500	114.30	9.53	41.28
6" x 3"	152.4 x 76.2	8.000	203.20	9.53	41.28
x 4"	x 101.6	6.375	161.93	9.53	41.28


卡式同心变径 Clamp concentric reducer

BPE No.QL-029



加长偏心变径 Weld Eccentric Reducer

BPE No.QL-030




规格尺寸		L		L1	L2
英寸 Inch	OD1 x OD2	英寸 Inch	mm	mm	mm
3/8" x 1/4"	9.53 x 6.35	2.625	66.68	9.53	22.23
1/2" x 1/4"	12.7 x 6.35	2.875	73.03	9.53	22.23
x 3/8"	x 9.53	2.875	73.03	9.53	22.23
3/4" x 3/8"	19.05 x 9.53	3.000	76.20	9.53	22.23
x 1/2"	x 12.7	3.125	79.38	9.53	28.58
1" x 1/2"	25.4 x 12.7	3.500	88.90	9.53	28.58
x 3/4"	x 19.05	3.125	79.38	9.53	28.58
1 1/2" x 3/4"	38.1 x 19.05	4.000	101.60	9.53	28.58
x 1"	x 25.4	3.500	88.90	9.53	28.58
2" x 1"	50.8 x 25.4	4.375	111.13	9.53	28.58
x 1 1/2"	x 38.1	3.500	88.90	9.53	28.58
2 1/2" x 1 1/2"	63.5 x 38.1	4.375	111.13	9.53	28.58
x 2"	x 50.8	3.500	88.90	9.53	28.58
3" x 1 1/2"	76.2 x 38.1	5.250	133.35	9.53	28.58
x 2"	x 50.8	4.375	111.13	9.53	28.58
x 2 1/2"	x 63.5	3.625	92.08	9.53	28.58
4" x 2"	101.6 x 50.8	6.250	158.75	9.53	28.58
x 2 1/2"	x 63.5	5.375	136.53	9.53	28.58
x 3"	x 76.2	5.000	127.00	9.53	41.28
6" x 3"	152.4 x 76.2	8.500	215.90	9.53	41.28
x 4"	x 101.6	7.000	177.80	9.53	41.28

规格尺寸		L		L1	L2
英寸 Inch	OD1 x OD2	英寸 Inch	mm	mm	mm
3/8" x 1/4"	9.53 x 6.35	1.625	41.28	9.53	22.23
1/2" x 1/4"	12.7 x 6.35	1.875	47.63	9.53	22.23
x 3/8"	x 9.53	1.875	47.63	9.53	22.23
3/4" x 3/8"	19.05 x 9.53	2.00	50.80	9.53	22.23
x 1/2"	x 12.7	2.125	53.98	9.53	28.58
1" x 1/2"	25.4 x 12.7	2.50	63.50	9.53	28.58
x 3/4"	x 19.05	2.125	53.98	9.53	28.58
1 1/2" x 3/4"	38.1 x 19.05	3.00	76.20	9.53	28.58
x 1"	x 25.4	2.50	63.50	9.53	28.58
2" x 1"	50.8 x 25.4	3.375	85.73	9.53	28.58
x 1 1/2"	x 38.1	2.50	63.50	9.53	28.58
2 1/2" x 1 1/2"	63.5 x 38.1	3.375	85.73	9.53	28.58
x 2"	x 50.8	2.50	63.50	9.53	28.58
3" x 1 1/2"	76.2 x 38.1	4.25	107.95	9.53	28.58
x 2"	x 50.8	3.375	85.73	9.53	28.58
x 2 1/2"	x 63.5	2.625	66.68	9.53	28.58
4" x 2"	101.6 x 50.8	5.125	130.18	9.53	28.58
x 2 1/2"	x 63.5	4.25	107.95	9.53	28.58
x 3"	x 76.2	3.875	98.43	9.53	41.28
6" x 3"	152.4 x 76.2	7.25	184.15	9.53	41.28
x 4"	x 101.6	5.625	142.88	9.53	41.28


大头卡式偏心变径 Weld Eccentric Reducer

BPE No.QL-031



卡式偏心变径 Clamp Eccentric Reducer

BPE No.QL-032




规格尺寸		L		L1	L2
英寸 Inch	OD1 x OD2	英寸 Inch	mm	mm	mm
3/8" x 1/4"	9.53 x 6.35	2.125	53.98	9.53	22.23
1/2" x 1/4"	12.7 x 6.35	2.375	60.33	9.53	22.23
x 3/8"	x 9.53	2.375	60.33	9.53	22.23
3/4" x 3/8"	19.05 x 9.53	2.500	63.50	9.53	22.23
x 1/2"	x 12.7	2.625	66.68	9.53	28.58
1" x 1/2"	25.4 x 12.7	3.000	76.20	9.53	28.58
x 3/4"	x 19.05	2.625	66.68	9.53	28.58
1 1/2" x 3/4"	38.1 x 19.05	3.500	88.90	9.53	28.58
x 1"	x 25.4	3.000	76.20	9.53	28.58
2" x 1"	50.8 x 25.4	3.875	98.43	9.53	28.58
x 1 1/2"	x 38.1	3.000	76.20	9.53	28.58
2 1/2" x 1 1/2"	63.5 x 38.1	3.875	98.43	9.53	28.58
x 2"	x 50.8	3.000	76.20	9.53	28.58
3" x 1 1/2"	76.2 x 38.1	4.750	120.65	9.53	28.58
x 2"	x 50.8	3.875	98.43	9.53	28.58
x 2 1/2"	x 63.5	3.125	79.38	9.53	28.58
4" x 2"	101.6 x 50.8	5.750	146.05	9.53	28.58
x 2 1/2"	x 63.5	4.875	123.83	9.53	28.58
x 3"	x 76.2	4.500	114.30	9.53	41.28
6" x 3"	152.4 x 76.2	8.000	203.20	9.53	41.28
x 4"	x 101.6	6.375	161.93	9.53	41.28

规格尺寸		L		L1	L2
英寸 Inch	OD1 x OD2	英寸 Inch	mm	mm	mm
3/8" x 1/4"	9.53 x 6.35	2.625	66.68	9.53	22.23
1/2" x 1/4"	12.7 x 6.35	2.875	73.03	9.53	22.23
x 3/8"	x 9.53	2.875	73.03	9.53	22.23
3/4" x 3/8"	19.05 x 9.53	3.000	76.20	9.53	22.23
x 1/2"	x 12.7	3.125	79.38	9.53	28.58
1" x 1/2"	25.4 x 12.7	3.500	88.90	9.53	28.58
x 3/4"	x 19.05	3.125	79.38	9.53	28.58
1 1/2" x 3/4"	38.1 x 19.05	4.000	101.60	9.53	28.58
x 1"	x 25.4	3.500	88.90	9.53	28.58
2" x 1"	50.8 x 25.4	4.375	111.13	9.53	28.58
x 1 1/2"	x 38.1	3.500	88.90	9.53	28.58
2 1/2" x 1 1/2"	63.5 x 38.1	4.375	111.13	9.53	28.58
x 2"	x 50.8	3.500	88.90	9.53	28.58
3" x 1 1/2"	76.2 x 38.1	5.250	133.35	9.53	28.58
x 2"	x 50.8	4.375	111.13	9.53	28.58
x 2 1/2"	x 63.5	3.625	92.08	9.53	28.58
4" x 2"	101.6 x 50.8	6.250	158.75	9.53	28.58
x 2 1/2"	x 63.5	5.375	136.53	9.53	28.58
x 3"	x 76.2	5.000	127	9.53	41.28
6" x 3"	152.4 x 76.2	8.500	215.90	9.53	41.28
x 4"	x 101.6	7.000	177.8	9.53	41.28

180°长弯头 Weld 180-deg long Bend


BPE No.QL-033



规格尺寸 OD		A		B		重量 kg
英寸 Inch	mm	英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	4.50	114.3	2.625	66.68	0.024
3/8"	9.53	4.50	114.3	2.625	66.68	0.038
1/2"	12.7	4.50	114.3	3.00	76.2	0.099
3/4"	19.05	4.50	114.3	3.00	76.2	0.156
1"	25.4	3.00	76.2	3.00	76.2	0.191
1 1/2"	38.1	4.50	114.3	4.50	114.3	0.440
2"	50.8	6.00	152.4	5.00	127.0	0.689
2 1/2"	63.5	7.50	190.5	5.75	146.05	1.019
3"	76.2	9.00	228.6	6.50	165.1	1.412
4"	101.6	12.00	304.8	8.50	215.9	2.489
6"	152.4	18.00	457.2	11.50	292.1	8.730

180°卡式长弯头 Clamp 180-deg long Bend


BPE No.QL-034



规格尺寸 OD		A		B		重量 kg
英寸 Inch	mm	英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	4.50	114.3	3.125	79.38	0.056
3/8"	9.53	4.50	114.3	3.125	79.38	0.068
1/2"	12.7	4.50	114.3	3.50	88.9	0.131
3/4"	19.05	4.50	114.3	3.50	88.9	0.183
1"	25.4	3.00	76.2	3.50	88.9	0.324
1 1/2"	38.1	4.50	114.3	5.00	127.0	0.525
2"	50.8	6.00	152.4	5.50	139.7	0.806
2 1/2"	63.5	7.50	190.5	6.25	158.75	1.175
3"	76.2	9.00	228.6	7.00	177.8	1.603
4"	101.6	12.00	304.8	9.125	231.78	2.845
6"	152.4	18.00	457.2	13.00	330.2	9.906

端头 (加长型) Weld Ferrule


BPE No.QL-035



规格尺寸 OD		A		B		重量 kg
英寸 Inch	mm	英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	0.984	25.0	1.75	44.45	0.025
3/8"	9.53	0.984	25.0	1.75	44.45	0.025
1/2"	12.7	0.984	25.0	1.75	44.45	0.031
3/4"	19.05	0.984	25.0	1.75	44.45	0.037
1"	25.4	1.984	50.39	1.75	44.45	0.092
1 1/2"	38.1	1.984	50.39	1.75	44.45	0.098
2"	50.8	2.516	63.91	2.25	57.15	0.148
2 1/2"	63.5	3.047	77.39	2.25	57.15	0.194
3"	76.2	3.579	90.91	2.25	57.15	0.231
4"	101.6	4.682	118.92	2.25	57.15	0.389
6"	152.4	6.570	166.88	3.00	76.2	1.075

端头 tri-clamp Ferrule


BPE No.QL-036



规格尺寸 OD		A		B		重量 kg
英寸 Inch	mm	英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	0.984	25.0	1.125	28.58	0.023
3/8"	9.53	0.984	25.0	1.125	28.58	0.020
1/2"	12.7	0.984	25.0	1.125	28.58	0.023
3/4"	19.05	0.984	25.0	1.125	28.58	0.028
1"	25.4	1.984	50.39	1.125	28.58	0.076
1 1/2"	38.1	1.984	50.39	1.125	28.58	0.068
2"	50.8	2.516	63.91	1.125	28.58	0.073
2 1/2"	63.5	3.047	77.39	1.125	28.58	0.125
3"	76.2	3.579	90.91	1.125	28.58	0.142
4"	101.6	4.682	118.92	1.125	28.58	0.254
6"	152.4	6.570	166.88	1.500	38.1	0.856

端头 (短型) tri-clamp Ferrule


BPE No.QL-037



规格尺寸 OD		A		B		重量 kg
英寸 Inch	mm	英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	0.984	25.0	0.50	12.7	0.021
3/8"	9.53	0.984	25.0	0.50	12.7	0.019
1/2"	12.7	0.984	25.0	0.50	12.7	0.016
3/4"	19.05	0.984	25.0	0.50	12.7	0.013
1"	25.4	1.984	50.39	0.50	12.7	0.067
1 1/2"	38.1	1.984	50.39	0.50	12.7	0.042
2"	50.8	2.516	63.91	0.50	12.7	0.058
2 1/2"	63.5	3.047	77.39	0.50	12.7	0.080
3"	76.2	3.579	90.91	0.50	12.7	0.094
4"	101.6	4.682	118.92	0.625	15.88	0.172
6"	152.4	6.570	166.88	0.75	19.05	0.514

端盖 Solid End Cap


BPE No.QL-038



规格尺寸 OD		A		B		重量 kg
英寸 Inch	mm	英寸 Inch	mm	英寸 Inch	mm	
1/4"	6.35	0.984	25.0	0.187	4.75	0.014
3/8"	9.53	0.984	25.0	0.187	4.75	0.014
1/2"	12.7	0.984	25.0	0.187	4.75	0.014
3/4"	19.05	0.984	25.0	0.187	4.75	0.032
1"	25.4	1.984	50.39	0.250	6.35	0.130
1 1/2"	38.1	1.984	50.39	0.250	6.35	0.330
2"	50.8	2.516	63.91	0.250	6.35	0.460
2 1/2"	63.5	3.047	77.39	0.250	6.35	0.640
3"	76.2	3.579	90.91	0.250	6.35	0.820
4"	101.6	4.682	118.92	0.312	7.92	1.530
6"	152.4	6.570	166.88	0.437	11.1	1.891


加长同心变径 Weld Concentric Reducer

BPE No.QL-039



加长偏心变径 Weld Eccentric Reducer

BPE No.QL-040




规格尺寸		L		重量
英寸 Inch	OD1 x OD2	英寸 Inch	mm	kg
3/8" x 1/4"	9.53 x 6.35	3.250	82.6	0.013
1/2" x 1/4"	12.7 x 6.35	3.250	82.6	0.024
x 3/8"	x 9.53	3.250	82.6	0.027
3/4" x 3/8"	19.05 x 9.53	3.250	82.6	0.038
x 1/2"	x 12.7	4.00	101.6	0.060
1" x 1/2"	25.4 x 12.7	4.50	114.3	0.082
x 3/4"	x 19.05	4.00	101.6	0.060
1 1/2" x 1/2"	38.1 x 12.7	5.50	139.7	0.125
x 3/4"	x 19.05	5.00	127.0	0.108
x 1"	x 25.4	5.00	127.0	0.158
2" x 1/2"	50.8 x 12.7	7.750	196.85	0.250
x 3/4"	x 19.05	7.250	184.2	0.253
x 1"	x 25.4	7.250	184.2	0.278
x 1 1/2"	x 38.1	5.250	133.4	0.236
2 1/2" x 1/2"	63.5 x 12.7	9.752	247.65	0.380
x 3/4"	x 19.05	9.252	234.95	0.380
x 1"	x 25.4	9.252	234.95	0.416
x 1 1/2"	x 38.1	7.250	184.2	0.374
x 2"	x 50.8	5.50	139.7	0.321
3" x 1"	76.2 x 25.4	11.252	285.75	0.515
x 1 1/2"	x 38.1	9.250	235.0	0.540
x 2"	x 50.8	7.50	190.5	0.487
x 2 1/2"	x 63.5	5.50	139.7	0.394
4" x 1"	101.6 x 25.4	15.50	393.7	1.196
x 1 1/2"	x 38.1	13.50	342.9	1.148
x 2"	x 50.8	11.750	298.5	1.089
x 2 1/2"	x 63.5	9.750	247.7	0.959
x 3"	x 76.2	7.750	196.9	0.819
6" x 3"	152.4 x 76.2	10.00	254.0	1.824
x 4"	x 101.6	10.00	254.0	2.108

规格尺寸		L		重量
英寸 Inch	OD1 x OD2	英寸 Inch	mm	kg
3/8" x 1/4"	9.53 x 6.35	4.00	101.6	0.013
1/2" x 1/4"	12.7 x 6.35	4.00	101.6	0.024
x 3/8"	x 9.53	4.00	101.6	0.027
3/4" x 3/8"	19.05 x 9.53	4.00	101.6	0.038
x 1/2"	x 12.7	4.00	101.6	0.060
1" x 1/2"	25.4 x 12.7	4.50	114.3	0.082
x 3/4"	x 19.05	4.00	101.6	0.060
1 1/2" x 1/2"	38.1 x 12.7	5.50	139.7	0.125
x 3/4"	x 19.05	5.00	127	0.108
x 1"	x 25.4	5.00	127	0.158
2" x 1/2"	50.8 x 12.7	7.750	196.85	0.268
x 3/4"	x 19.05	7.250	184.2	0.253
x 1"	x 25.4	7.250	184.2	0.278
x 1 1/2"	x 38.1	5.250	133.4	0.236
2 1/2" x 1/2"	63.5 x 12.7	9.750	247.65	0.380
x 3/4"	x 19.05	9.250	234.95	0.380
x 1"	x 25.4	9.250	234.95	0.416
x 1 1/2"	x 38.1	7.250	184.15	0.374
x 2"	x 50.8	5.50	139.7	0.321
3" x 1"	76.2 x 25.4	11.250	285.75	0.515
x 1 1/2"	x 38.1	9.250	234.95	0.540
x 2"	x 50.8	7.50	190.5	0.487
x 2 1/2"	x 63.5	5.50	139.7	0.394
4" x 1"	101.6 x 25.4	15.50	393.7	1.196
x 1 1/2"	x 38.1	13.50	342.9	1.148
x 2"	x 50.8	11.750	298.5	1.089
x 2 1/2"	x 63.5	9.750	247.7	0.969
x 3"	x 76.2	7.750	196.9	0.819
6" x 3"	152.4 x 76.2	9.750	247.7	1.685
x 4"	x 101.6	10.00	254	2.021

大头卡式同心变径 Clamp/Weld Concentric Reducer

BPE No.QL-041


 中国·齐力控股集团
CHINA QILI HOLDING GROUP

 中国·齐力控股集团
CHINA QILI HOLDING GROUP


 中国·齐力控股集团
CHINA QILI HOLDING GROUP

规格尺寸		L		重量 kg
英寸 Inch	OD1 x OD2	英寸 Inch	mm	
3/4" x 1/2"	19.05 x 12.7	3.50	76.2	0.072
1" x 1/2"	25.4 x 12.7	3.50	88.9	0.087
x 3/4"	x 19.05	3.00	76.2	0.065
1 1/2" x 1/2"	38.1 x 12.7	4.50	114.3	0.105
x 3/4"	x 19.05	4.00	101.6	0.100
x 1"	x 25.4	4.00	101.6	0.190
2" x 1/2"	50.8 x 12.7	6.50	165.1	0.270
x 3/4"	x 19.05	6.00	152.4	0.268
x 1"	x 25.4	6.00	152.4	0.283
x 1 1/2"	x 38.1	4.00	101.6	0.212
2 1/2" x 1/2"	63.5 x 12.7	8.50	215.9	0.196
x 3/4"	x 19.05	8.00	203.2	0.390
x 1"	x 25.4	8.00	203.2	0.405
x 1 1/2"	x 38.1	6.00	152.4	0.333
x 2"	x 50.8	4.25	107.9	0.339
3" x 1"	76.2 x 25.4	10.00	254	0.475
x 1 1/2"	x 38.1	8.00	203.2	0.481
x 2"	x 50.8	6.250	158.8	0.490
x 2 1/2"	x 63.5	4.250	108	0.466
4" x 1"	101.6 x 25.4	14.126	358.8	0.990
x 1 1/2"	x 38.1	12.126	308	1.000
x 2"	x 50.8	10.375	263.5	1.005
x 2 1/2"	x 63.5	8.375	212.7	0.954
x 3"	x 76.2	6.375	161.9	0.858
6" x 3"	152.4 x 76.2	9.00	228.6	1.658
4"	x 101.6	9.00	228.6	2.294

 中国·齐力控股集团
CHINA QILI HOLDING GROUP

大头卡式偏心变径 Clamp/Weld Eccentric Reducer

BPE No.QL-042


 中国·齐力控股集团
CHINA QILI HOLDING GROUP

 中国·齐力控股集团
CHINA QILI HOLDING GROUP

 中国·齐力控股集团
CHINA QILI HOLDING GROUP


规格尺寸		L		重量 kg
英寸 Inch	OD1 x OD2	英寸 Inch	mm	
3/4" x 1/2"	19.05 x 12.7	3.00	76.2	0.072
1" x 1/2"	25.4 x 12.7	3.50	88.9	0.087
x 3/4"	x 19.05	3.00	76.2	0.065
1 1/2" x 1/2"	38.1 x 12.7	4.50	114.3	0.105
x 3/4"	x 19.05	4.00	101.6	0.100
x 1"	x 25.4	4.00	101.6	0.190
2" x 1/2"	50.8 x 12.7	6.50	165.1	0.270
x 3/4"	x 19.05	6.00	152.4	0.268
x 1"	x 25.4	6.00	152.4	0.283
x 1 1/2"	x 38.1	4.00	101.6	0.212
2 1/2" x 1/2"	63.5 x 12.7	8.50	215.9	0.196
x 3/4"	x 19.05	8.00	203.2	0.390
x 1"	x 25.4	8.00	203.2	0.405
x 1 1/2"	x 38.1	6.00	152.4	0.333
x 2"	x 50.8	4.250	108.0	0.339
3" x 1"	76.2 x 25.4	10.00	254	0.475
x 1 1/2"	x 38.1	8.00	203.2	0.481
x 2"	x 50.8	6.250	158.8	0.490
x 2 1/2"	x 63.5	4.250	108	0.466
4" x 1"	101.6 x 25.4	14.126	358.8	0.990
x 1 1/2"	x 38.1	12.126	308	1.000
x 2"	x 50.8	10.375	263.5	1.005
x 2 1/2"	x 63.5	8.375	212.7	0.954
x 3"	x 76.2	6.375	161.9	0.858
6" x 3"	152.4 x 76.2	3.750	222.3	1.588
4"	x 101.6	9.00	228.6	2.294

 中国·齐力控股集团
CHINA QILI HOLDING GROUP

 中国·齐力控股集团
CHINA QILI HOLDING GROUP

卡式同心变径 Hygienic Clamp Concentric Reducer

BPE No.QL-043


 中国·齐力控股集团
CHINA QILI HOLDING GROUP

 中国·齐力控股集团
CHINA QILI HOLDING GROUP

 中国·齐力控股集团
CHINA QILI HOLDING GROUP

规格尺寸		L		重量 kg
英寸 Inch	OD1 x OD2	英寸 Inch	mm	
3/4" x 1/2"	19.05 x 12.7	2.00	50.8	0.090
1" x 1/2"	25.4 x 12.7	2.50	63.5	0.145
x 3/4"	x 19.05	2.00	50.8	0.130
1 1/2" x 1/2"	38.1 x 12.7	3.50	88.9	0.150
x 3/4"	x 19.05	3.00	76.2	0.135
x 1"	x 25.4	3.00	76.2	0.205
2" x 1/2"	50.8 x 12.7	5.50	139.7	0.320
x 3/4"	x 19.05	5.00	127	0.302
x 1"	x 25.4	5.00	127	0.362
x 1 1/2"	x 38.1	3.00	76.2	0.875
2 1/2" x 1/2"	63.5 x 12.7	7.50	190.5	0.440
x 3/4"	x 19.05	7.00	177.8	0.425
x 1"	x 25.4	7.00	177.8	0.485
x 1 1/2"	x 38.1	5.00	127	0.398
x 2"	x 50.8	3.00	76.2	0.345
3" x 1"	76.2 x 25.4	9.00	228.6	0.730
x 1 1/2"	x 38.1	7.00	177.8	0.619
x 2"	x 50.8	5.00	127	0.565
x 2 1/2"	x 63.5	3.00	76.2	0.485
4" x 1"	101.6 x 25.4	13.125	333.4	1.278
x 1 1/2"	x 38.1	11.125	282.6	1.206
x 2"	x 50.8	9.125	231.8	1.135
x 2 1/2"	x 63.5	7.125	181	1.028
x 3"	x 76.2	5.125	130.2	0.933
6" x 3"	152.4 x 76.2	7.625	193.7	1.604
4"	x 101.6	7.625	193.7	2.307


 中国·齐力控股集团
CHINA QILI HOLDING GROUP

 中国·齐力控股集团
CHINA QILI HOLDING GROUP

 中国·齐力控股集团
CHINA QILI HOLDING GROUP

卡式偏心变径 Hygienic Clamp Eccentric Reducer

BPE No.QL-044


 中国·齐力控股集团
CHINA QILI HOLDING GROUP

 中国·齐力控股集团
CHINA QILI HOLDING GROUP

 中国·齐力控股集团
CHINA QILI HOLDING GROUP

规格尺寸		L		重量 kg
英寸 Inch	OD1 x OD2	英寸 Inch	mm	
3/4" x 1/2"	19.05 x 12.7	2.00	50.8	0.090
1" x 1/2"	25.4 x 12.7	2.50	63.5	0.145
x 3/4"	x 19.05	2.00	50.8	0.130
1 1/2" x 1/2"	38.1 x 12.7	3.50	88.9	0.150
x 3/4"	x 19.05	3.00	76.2	0.135
x 1"	x 25.4	3.00	76.2	0.205
2" x 1/2"	50.8 x 12.7	5.50	139.7	0.320
x 3/4"	x 19.05	5.00	127	0.302
x 1"	x 25.4	5.00	127	0.362
x 1 1/2"	x 38.1	3.00	76.2	0.875
2 1/2" x 1/2"	63.5 x 12.7	7.50	190.5	0.440
x 3/4"	x 19.05	7.00	177.8	0.425
x 1"	x 25.4	7.00	177.8	0.485
x 1 1/2"	x 38.1	5.00	127	0.398
x 2"	x 50.8	3.00	76.2	0.345
3" x 1"	76.2 x 25.4	9.00	228.6	0.730
x 1 1/2"	x 38.1	7.00	177.8	0.619
x 2"	x 50.8	5.00	127	0.565
x 2 1/2"	x 63.5	3.00	76.2	0.485
4" x 1"	101.6 x 25.4	13.125	333.4	1.278
x 1 1/2"	x 38.1	11.125	282.6	1.206
x 2"	x 50.8	9.125	231.8	1.135
x 2 1/2"	x 63.5	7.125	181	1.028
x 3"	x 76.2	5.125	130.2	0.933
6" x 3"	152.4 x 76.2	7.50	190.5	1.604
4"	x 101.6	7.625	193.7	2.307

 中国·齐力控股集团
CHINA QILI HOLDING GROUP

 中国·齐力控股集团
CHINA QILI HOLDING GROUP

 中国·齐力控股集团
CHINA QILI HOLDING GROUP